

A = Accepted
 U = Unaccepted
 D = Discontinued

Status	Street Name	Status	Street Name
A	Academy St.	A	Court St. Ext.
A	Adams Ct.	A	Crawford Dr.
U	Aegis Dr.	A	Crescent St.
A	Allen St.	U	Crescent St. Ct.
U	Anchor Rd. (formerly Wing Farm Access Rd)	D	Cressey Ave. (11/17/1982)
A	Ancona Ave.	U	Crooker St.
A	Andrews Rd.	U	Cummings St.
U	Angel Pl	U	Curtis Pl. (Formerly Winslow St.)
A	Arch St.	U	Davenport Circle
A	Aspen Lane	D	Deering St. 10/19/1983)
A	Bailey St.	A	Denny Road
A	Barque Rd.	U	Detritus Drive
A	Bath St.	U	Dike Road
A	Bath St. Ext.	U	Dikes Landing Road
D	Bay Rd. (8/4/1926)	U	Doubling Point Lane
A	Bayshore Rd.	A	Drayton Road
A	Beacon St.	A	Drummond Point (formerly Drummond St.)
A	Bedford St.	A	Dummer St.
A	Bennett St.	A	Dummer St. Court
U	Bernard St.	U	Eagle Point Road (Formerly Varney Mill Rd.)
U	Blackwater Cove Rd.	U	East Lane
D	Blasland Lane (3/23/1966)	A	Edgett St.
A	Bluff Rd.	A	Edwards St.
A	Bowery St.	A	Edwards St. Court
A	Bowman St.	A	Elm St.
U	Breezy Ln	U	Elm St. Court
A	Bridge St.	A	Elsinore Ave.
A	Broad St.	A	Evergreen St. (formerly Meadow St.)
U	Brown St.	U	Fairview Lane
U	Bumpy Hill Rd.	A	Farrin St.
U	Butler Head Rd. (formerly Butler Cove Rd.)	U	Federal St. (Formerly Tarbox Place) Tarbox Pl. - Portion (D) 3/66)
U	Cardinal Rd.	D	Ferry St. 6/5/1968)
A	Carriage House Ln (Formerly Marcia St.)	U	Fisher Court
A	Castine Ave. (Formerly Pleasant Ave.)	A	Fitts St.
A	Cato Ave.	A	Floral St.
U	Cedar Ln	A	Floral St. Ext.
A	Central Ave.	D	Forest Rd. 9/29/1976)
A	Centre St.	A	Franklin St.
U	Chandler Dr. (formerly Shopping Center Dr.)	A	Fremont St.
A	Charles St.	A	Front St.
A	Cherry St.	A	Front St. Ext.
A	Chestnut St.	A	Garden St.
U	Clearview Ave.	A	Gerald St.
A	Clifton St.	A	Getchell St. (Formerly Gatchell St.)
A	Cobb Rd.	A	Goddard St.
D	Commerce St. (3/3/60)	U	Goose Cove Rd. (first right off W. Chopps Point Rd.)
A	Commercial St.	A	Graffam Way
A	Commercial St. Ext.	A	Granite St.
A	Congress Ave.	A	Green St.
A	Congress Ave. Ext.	A	Grove St.
A	Corliss St.	A	Harward St.
A	Cottage St.	U	Hawks Lane
A	Court St. (Portion Discontinued 1/7/1953)	A	Heath Lane

Status Street Name

A Stacey St. (formerly Robinson Lane)
A State Rd. (formerly Witch Spring Rd.)
A Summer St.
A Summer St. Ext.
A Summerset St. (?)
A Tallman St.
U Tank Farm Rd.
A Tarbox St.
A Tarbox St. Ext.
A Tower Circle
U Town Landing Road
A Trufant St.
U Trufant St. Ct. (formerly Farrin Place)
A Turner Court
A Union St.
A Union St. Ct. (formerly Union Ct.)
A Upper Washington St.
A Valley Rd.
U Varney Mill Rd. (?)
A Vine St. (Portion Discontinued 8/3/83)
A Walker St.
D Washburn St. (10/19/1983)
A Washington St.
A Water St. (Portion Discontinued 6/21/60)
A Webber Ave.
A Weeks St.
A Wesley Lane
A Wesley St.
U Wesley St. Ct. (formerly Wesley Court)
U West Chops Point Road
A West Milan St. (formerly Milan St.)
A West St.
A Western Ave.
A Whiskeag Rd. (St.?)
U Williams Court
D Williams St. (7/3/1957)
A Willow St.
U Willow St. Court
A Windjammer Way (formerly North St. Court)
U Windlass Ct. (formerly High St. Court)
U Wing Farm Parkway
A Winship St. (portion Discontinued)
U Winslow Ct.
A Winter St.
A Winter St. Ct.
U Woodduck Lane
U Wren Lane
A Wright Dr.
A York St.
A York St. Ext.

Zadoc Lincoln Lane (Discontinued)

d 6/20/01)

ALLEN LANE

Beginning at the South Side of Grove Street, at the North West corner of James F. Patten's land, fifteen rods twenty two links from Front Street and runs South three degrees West thirteen rods twelve links to North Street to a point nine rods twenty links West from Front Street, said lane to be twenty two feet wide on the West side of said lane.

Book A
Page 438

ACADEMY STREET.

Begins at a Stone M. on the West side of High Street and runs N 87 $\frac{1}{4}$ ° W. 31 Rods 6 Links to a Stone M. on the East side of Lincoln Street. To be 2 $\frac{1}{2}$ Rods wide on the South Side of the above line.

Book A
Page 517

Beginning on the West Side of Lincoln Street twelve feet South of the old Crocker line so called--Thence westerly parallel to said line sixty six rods and five links to a bolt in the ledge on the West side of a cross street reserved by John Tucker. Thence north twelve feet thence Westerly on the Old Crocker line eighteen rods and four links to Center Street.

Book B.
Page 128

Said Street to be forty five feet wide on the Northerly side of said line, for the first sixty six rods and five links and thirty three feet wide for the remaining eighteen rods and four links.

ARCH STREET

Begins on the East side of Front Street, and runs S. 85° 12' E. 106. 22 L. to a stone M. passing one foot north of the N.W. corner of William Ledyard's building on Front Street.

Book A
Page 517

Said Street to be 27 feet wide on the North side of the above line N.B. Arch Street may be said to extend 2 rods easterly of the stone M. over Commercial Street.

ALLEN STREET

Is to be two rods wide the Westerly side of the following line: Beginning on the northerly side of Center Street, at the Southwest corner of S. W. Sandford's land at a Stone M. Thence north six degrees East to Academy Street, at a Stone M.

Vol. 3
Page 174

Location established Aug. 8th, 1862

ANCONA AVENUE

Beginning at a point on the east side of High Street, said point beginning 457.42' from the northwest corner of the intersection of Harward and High Streets, thence making an angle of 86° 02' to the right with the east side of High Street and extending easterly 567.68', thence making an angle of 84° 12' to the right and extending southerly 328.62' to the north side of Harward Street at a point 635.94' from the northwest corner of the intersection of High and Harward Street. Said Street to lie on the north and east of the above described line and to be 40.20' in width.

Book 26
Page 171
(10/30/63)

ASPEN LANE

Description in Street Drawer

10-7-87



BATH STREET

Beginning on the West Side of Washington Street, at a Stone Monument near the Southeast corner of land formerly belonging to the late Samuel W. Sloan, thence North Seventy eight Degrees West, to Middle Street at a Stone Monument-- Said Street to be Two Rods wide on the South Side of said course one Monument.

Book A.
Page 424

Beginning on the Easterly line of High Street at the North West corner of land of Samuel Merritt, thence running by said land, the same course continued as far as the West line of land of Freeman Clark said Street to be thirty feet wide on the northerly side of said line.

Aug. 1/66
Page 113

BATH STREET EXTENSION

Commencing at the Eastern end of Bath Street as now laid out at a stone foundation on land now occupied by James Morse, running Easterly in same direction as said foundation to Middle Street and said line to be the north line of said Street--Said Street to be Two Rods Wide.

Vol. 5
May 1, 1872

Commencing at the North West corner of Bath Street, thence running Westerly in a straight line to Middle Street, to be the same width as that now established. July 1/74.

Vol. 6
Page 74

BAILLY STREET

Beginning at a stake upon the North line of North Street at the South East corner of land of Charles L. Taylor, thence running N. 56 E. by said Taylor's land and land of Alfred L. Tarbox, Two hundred and seventy one feet (271 ft.) to an iron fence rod at the South line of Tallman Street and the North East corner of the Tarbox Lot. Said Street to be Forty feet (40 Ft.) wide upon the Easterly side of the above described line and to be named Bailly Street.

Vol. 11
Oct. 4th
1813
Page 176

BAY ROAD (So-called) *Sec 23

Beginning on the Westerly line of the ridge road as recently staked out and defined at a point; thence running North 48 degrees and 17 minutes West over land of Elmer Rich 943.5 feet to a point; thence North 64 degrees and 47 Minutes West; passing a point standing 23.30 feet distant Southwesterly from the Southwest corner of the dwelling house of said Elmer Rich, measuring on the Easterly range of house, also 32.7 feet distant Southwesterly from the Northwesterly corner of the barn attached to said dwelling house measuring on the Westerly range of said barn, 1286.0 feet to a point and passing over land of said Rich and land now or formerly of George W. Locke; Thence continuing over land of said Rooks North 66 Degrees and 53 Minutes West 508.6 feet to a point, and North 36 Degrees and 3 Minutes West 95.5 feet to a point, and North 58 Degrees and 28 minutes West 171.8 feet to a point, and North 51 Degrees and 24 minutes West 368.1 feet to a point standing about 12.0 feet easterly from an old wall.

Vol. 18
Page 387
Aug. 4, 1926

The above described line to form the center line of a way to be 33.0 feet in width all angle points of which are defined by iron rods driven into the ground.

The center line of the way as above described follows nearly the center line of the road or way as it has formerly existed and been used, Total length of which is 3168.5 feet.

No damages claimed, none allowed.

BOWERY STREET

Begins on the East side of Washington Street at a stone M. at the N.W. corner of Samuel Swanton's land, and runs S 85 degrees 28' E. 9 R. 5 L. to a hole in the ledge- then (angle 44^c 38') N. 49^c 10' E 20R. 2 L. passing a stone M. at the North end of Front Street to a stone M. thence (angle 2 degrees 33') N. 46 degrees 48' E. 6 R 15 L. to a spike in N.W. side of an Oak tree at the N.W. corner of the Old McCody House; then (Angle 5 degrees 40') N. 40^c 35' E. 12 R. 10 L. to the center of a small Pine tree. Than (Angle 17^c 50') N. 22^c 32' 4 R. 20 L. to a stone M. at the East side of a large Oak Tree--then (Angle 9^c 12') N. 13^c 10' E 14 Rcds to a stone M. near the N.W. corner of John M. McCody's land, then (Angle 9^c 16') N. 4^c E. 15 Rcds passing the center of a large White Oak tree near the South west corner of Charles Clapps land to a stone M. Then (angle 49^c 40') N. 45^c 5' W. 6 R. 18 L. to a hole in ledge marked X. Then (Angle 13^c 40') N. 31^c 30' W. 11 R. 3 L. to a stone M. 8 feet 8 inches Northerly of the Angle in Washington Street; also from opposite hole in ledge marked X. The South line runs North 34^c 5' W to a hole in ledge on the West side of Washington St., 7 feet 2 inches northerly from the hole in ledge nearest the letter M. All the above street except on the last course to be 2 rods wide on the Northerly and Westerly side.

Book A
Page 514

BLASLAND LANE

Begins at a Stone M on the East side of Washington Street, and runs S. 80^c 40' E. 15 R. 14 L. to the West line of Water Street as located this year; passing 2½ feet northerly of the N.W. corner of Widow Blasland's House, and in the direction to pass 1½ feet clear of the N.W. corner of Gilbert Trufant's Brick Store, to Water Street. Said Lane to be 20 (twenty) feet wide on the north side of the above line.

Book A
Page 521
1 added
never closed
3/23/66

BRIDGE STREET

Beginning in said Town at a Bolt in the ledge on the South side of Winnegance Bridge at above high water mark, thence North 87 degrees W. 7 Rods 12 links to a stake, thence N. 6½ degrees, W. 3½ Rods to stake thence N. 28½ degrees W. 7 rods and 16 links to stake, thence N. 10 degrees W. 7 rods 4 links to a stake at Frances Oliver's, thence N. 30 degrees E. 10 Rods 23 links to a stake, thence N. 41½ E 14 rods to south east corner of Bates front wall fence, thence N. 98 degrees E 11. Rods and 2 links to a stake- thence N. 44½ E 23 rods & 19 links to a stake at Hunts gate- thence N. 35 degrees E 16 rods 21 links to south side of Stencors gate, thence N. 34 degrees E. 15 rods 17 links to a stake thence N. 31½ degrees E 35 rods 5 links to a stake two rodssouth of wall on east side of road. Thence N. 23½ degrees E. 8 rods 15 links to 20 links to a stake, thence N. 25 degrees E. 66 rods 20 links to north line of McCutcheon farm. Thence N. 17 degrees E. 18 rods to stake & stones. Thence N. 4 degrees E. 9 rods to stake and stones, thence N. 15 degrees E. 21 rods 12 links to stake and stones at the north line of said Town and two rods WestWall on the East side of said road. Said road to be two rods wide on the Northerly and Easterly side of said line and corner.

West Bath, Oct. 16th 1852 Nelson Ham, Town Clerk.

BRUCE STREET

Beginning at a point on the westerly side line of Washington Street, said point standing 95.9 feet southerly along said westerly line, from the northerly line of property of Walter Kennerson, thence making an angle of 89 degrees with said Washington Street line running north 79 degrees and 30 minutes west, a distance of 540 feet to a point. Said line passes 7.95 feet from the south east corner board of house of Walter Kennerson. At a distance 231.04 feet from Washington Street said line is 32.77 feet northerly from an old bolt set in a ledge. Said line is also 12.52 feet from the south west corner board of house owned by W.A. Condon. Said above described line is the northerly line of a 33 foot street previously reserved for this purpose.

Vol. 14
Page 372
Oct. 6, 1909

(To be presented in Board of Mayor and Aldermen.)

Bath, October 7th, 1925. 191

To the City Council:

The Committee on Joint Standing Committee on New Streets

To whom was referred the Petition of R. L. Palmer

and 20 others, praying presented to the City Council May 6th, 1925, requesting the acceptance of Bay Road so-called, which extends westerly from Ridge Road about thirty two hundred feet.

have attended to that duty and respectfully submit the following report:

That

Having posted notice at each end and in the vicinity of the preposed road, and at the Court House and City Hall in said City of Bath, seven days prior to said hearing and met at the time and place appointed, Thursday evening, at 7:30 o'clock P. M. July 16th, 1925, and having viewed the preposed Road prayed for and met and heard the persons interested., are of the opinion that the acceptance of this Road is not warranted at this time and recommend that the petitioners have leave to withdraw.

Respectfully submitted,

Joint Standing Committee
on
New Streets.

Nathan E. Coffin.
Fred W. Quimby
Wm. Longdon
Oliver F. Brown

COMMON COUNCIL

OCT 7 1925

Report read and accepted
in concurrence.
Attest:

Elbridge R. Wright,
Clerk.

In Board of Aldermen.

OCT 7 1925

Report read and
accepted and recommendations adopted
and sent down for concurrence.

Attest: *John W. Simpson*
City Clerk.



The east side of High Street, commencing at a point thirty-five (35') feet south of the southeast corner of Court and High Streets and extending thirty (30!) feet in a southerly direction. ^(Charles Street)

On motion of Councilman Gediman, seconded by Councilman Lee, it was voted to give first passage to the foregoing amendment and hearing set for Wednesday, November 5, 1958, at 7:25 P.M. to consider final passage. (Vote: 6 yeas, 0 nays Yeas: Atkinson, Gediman, Lee, Harvie, Marchant and Bailey.)

Chairman Mitchell presented the following:

NOTICE

NOTICE is hereby given that it is the intention of the Municipal Officers of the City of Bath, Maine, under the authority provided by Chapter 96, Section 29, R. S. 1954, upon the petition of Emery I. Freeman, et al., to lay out and establish as a public street for the use of the City of Bath, so-called Charles Street described as follows:

Beginning at a point in the southerly right of way line of Centre Street, which is the northwest corner of the property now or formerly of Theresa R. Mellow; thence S 25° 50' W magnetic along the westerly line of the properties now or formerly of Theresa R. Mellow, Rita M. Mulcahy, Robert H. Cressey, William and Rita Bennett, James C. Hart and Emery W. Freeman, a distance of four hundred sixty and five tenths (460.5) feet to a point of curvature; thence to the left a distance of twelve and four tenths (12.4) feet measured along an arc of 71 degrees 02 minutes with a radius of ten (10.0) feet to a point of reverse curvature; thence to the right a distance of one hundred thirty-one and four tenths (131.4) feet measured along an arc of 251 degrees 02 minutes with a radius of thirty (30.0) feet to a point of tangency; thence N 25° 50' E magnetic along the easterly lines of the properties now or formerly of Ettore A. Sinibaldi, John C. Hart, Jr., Emanuel Gallant and Edward J. and Eunice S. Perry (which line is parallel to and a distance of thirty-three (33.0) feet westerly from the aforementioned southwesterly traverse of four hundred sixty and five tenths (460.5) feet a distance of four hundred ninety-nine and three tenths (499.3) feet to a point in the southerly right of way line of Centre Street which is the northeast corner of the property now or formerly of Edward J. and Eunice S. Perry; thence S 62° 30' E magnetic along the southerly right of way line of Centre Street a distance of thirty-three and one one-hundredths (33.01) feet to the point of beginning.

The above description is the easterly and westerly right of way lines of Charles Street which is thirty-three (33.0) feet wide and has a turn around at its southerly extremity which is a circle of thirty (30.0) feet radius tangent to the westerly right of way line of said Charles Street at a point four hundred ninety-nine and three tenths (499.0) feet from the southerly right of way line of Centre Street.

AND THAT THE MUNICIPAL OFFICERS will meet for said purpose on the 9th day of October, 1958, at the proposed public street at 5:30 P.M. o'clock and all persons interested therein will govern themselves accordingly.

WE HEREBY ORDER that this notice be posted for a period of seven days in two public places in the City of Bath, to wit: one at the City Hall and one at the Court House, and also one in the vicinity of the above described location.

Given under our hands on this 1st day of October, 1958.

City Council of the City of Bath, Maine

Edward G. Atkinson
Arthur W. Gediman
Edward J. Lee

M. A. Mitchell, Chairman
Frank E. Harvie
Paul A. Marchant
Boyd L. Bailey

On motion of Councilman Gediman, seconded by Councilman Atkinson, it was voted to give passage to the foregoing Order of Notice and that the Hearing be conducted as set forth therein.

Chairman Mitchell presented the following:

To: Bath City Council
From: Stanley W. Judkins,
City Manager

Subject: Sale of City Properties.

1. Lot Adjacent to 1522 Washington Street. -

This piece of land has a sound value of \$280.00 and a tax value of \$170.00 (no allowance has been made in these figures for any possible depreciation). Only one bid was received on this property that being in the amount of \$50.00, from Raymond and Melvenia

CATO AVENUE

Beginning at an iron pipe driven into the ground at the south-east corner of the house lot owned by Earl Morse being 31.35 feet distance Northerly from the northeast corner of house numbered 4 Farrin also 33.95 feet distance southerly from the southeast corner of house numbered 8 Farrin St., Thence running N. 81 degrees and 5 minutes W. 132.65 feet to an iron pipe driven into the ground and standing 23.35 feet distance southeasterly from the southeast corner of house number 18 also 33.50 feet northeasterly from the northeast corner of house number 17 Cato Ave., The described line to form the north line of an avenue to be sixteen feet in width at the first described point and 18 feet in width at the point last described and to lay over land as formerly used as a way and to be known as Cato Avenue.

City Records
Book 19
Page 508
Jan. 6, 1932

CEDAR STREET - Holly St

Begins on the West Side of Front Street at the "E. Corner of G. F. Patten's land, and runs N. 86 degrees 20 minutes W. 11 R. 10 1/2 L. to a stone M. on the East line of Washington Street--Said street to be 2 Rods wide on the North side of above line.

Book A.
Page 514

CENTRE STREET

Begins on the West side of Front Street, seven feet North of the Store basement of the Custom House building, and runs N. 87° 30' W. 39 R. 2 L. to the West side of Washington Street, passing 41 feet 6 inches southerly of the S.E. corner of the Sagadahoc House and eighteen inches northerly of the N.W. corner of Gershom Hyde's Store to be forty feet wide from Washington to Water streets, on the North side of the above line. The north line runs from a bolt on Front Street, to a stone M. on the east side of Water Street passing one foot 6 inches southerly of the S.E. corner of Sagadahoc House and City Hall building.

Book A
Page 509

The South line is the first described line from Front Street to Benjamin Randall's West line--then Westerly parallel with first line to Water Street--passing 4 1/2 feet North of N.W. corner of the Card House.

Between Washington and High Street the South is as follows: Beginning at a stone M. at the West side of Washington Street and runs South 82 1/2° W. 18 R 7 1/2 L to a Stone M. then (Angle 8° 42') S 73 1/4° W. 30 R. 21 L. to a stone M. then (Angle 20° 30') N. 85 1/4° W. 6 R. 15 L. to a stone M. at the East side of High Street. The North line begins at a stone M. 2 feet 8 inches Southeasterly from S. E. Corner of Commercial House and runs South 87° W. 11 R. 10 1/2 L. to a Stone M. Then (Angle 13° 25') S 73° 45' W. 20 R. 8 L. to a stone M. Then (Angle 14° 15') S. 88° W. 12 R. 21 1/2 L. to a hole in ledge near S. E. corner of North Meetin lot; then (Angle 12°) N. 80° W. 8 1/2 Rods to a stone M. On the East line of High Street, which is 116 feet from the above mentioned Stone at Tucker's corner, west of High Street, Centre Street commences at a Stone M. and runs N. 64° 40' W. 95 Rods, passing a hole in ledge to a point 14 feet westerly of said hole.

Then (Angle 7° 20') N. 57° 20' W. 21 R. 11 L. to a stone M. passing a hole in ledge 47 1/2 feet Westerly from the S. W. Corner of Jess Bickford's house, and 9 feet 5 inches south from another hole; then (Angle 30°) N. 87° 40' W. 113 rods 3 Links to a stone marked M. which is 18 rods east of Benjamin Litchfield's east line.

Said Street west of High Street to be 2 1/2 Rods wide south of the above line. N.B. East of High street, Centre Street passes each side of a Core of land and is forty feet on the North and 37 feet wide on the south side of said Core.

So much of Centre Street south of thirty six feet from the north line on Center Street on the side of Monument lot from the junction of High and Centre Street to the East line of the Monument lot is discontinued by order passed.

Vcl. 4
Page 204

July 3rd, 1867

COMMERCIAL STREET ALSO OAK STREET

Beginning forty feet east of the west side of a Monument at the North east corner of Lewis Blackmen's brick store; the Western side of said Monument being six inches to the eastward of said brick store; thence northerly to a point forty one feet east of the Northeast corner of David Crooker's Blacksmith Shop; thence northerly to a point twelve feet south of the south side of the chimney in Sewall's Flour Mill; (and if continued northerly would pass four feet to the Westward of said Chimney;) Thence Westerly to the East side of Front Street, on a direct line to the City Lamp Post, near the Northeast corner of Oak Street.

Vol. 3
Page 197

Said Street to be forty feet wide on the Western and Southern side of said lines.

Location established February 24th, 1862 P. Upton, City Clerk.

COMMERCE STREET

Beginning at the south west corner of A. G. Page's store on Front Street, thence easterly by said lot to a monument upon the west line of Commercial Street, six inches south of the south east corner of Edward Hodgkins store said line and extending to the north line of said Street to be twenty eight feet wide and to be called Commerce Street.

Vol. 4
Page 300

Bath, October 10, 1863.

COTTAGE STREET.

Beginning upon the northerly line of Western Avenue at a point sixty five (65) feet easterly from the south west corner of land of Samuel L. Thompson, Thence running N. 6° 30' E. over land of said Thompson Six hundred fifty five (655) feet to a stake upon the south line of George W. Temple, thence making a deflection angle to the West of 7° 30' and running N. 1° E. a distance of two hundred (200) feet across the land of said Temple to the south line of Court Street. The above described line to be the Westerly line of Cottage Street and the Street to be thirty three (33) feet wide.

Vol. 13
Page 77
July 1, 1863

cut - see P. 19

Note for discontinuance Pgs. 404-409-458 Vol. 17.

CORLISS STREET.

Beginning at the West side of Washington Street, between Pine and Marshall Street and runs North eighty six degrees West by compass, passing a hole in the ledge eight feet Northeastly from John Stacey's House, and passes five feet northerly from the North East Corner of brick underpinning of said house to a stake on the East side of High Street--said Street to be thirty six feet wide on the North side of the above line, and passing over a contemplated street, reserved for that purpose by Joseph Corliss--to be called Corliss Street.

Book 6
Page 497

COURT OR THE FORMER WILLOW STREET

Begins at a hole in the ledge on the west line of High Street nearly opposite Tucker's corner, and runs N. 88° 10' W. 7 rds. 10 L. to a stone M.--Then (angle 4° 7') S. 88° W. 15 rods to a stone M.--then (angle 4° 7') N. 88° 15' W. 24 rds. 8 L. to a stone M. at the S.W. corner of the Fitts Estate. Then (angle 23°) S. 68° 45' W. 10 rods to a stone M.--then (angle 11° 41') S. 57° 5' W. 51 rods 12 L. to a hole in ledge--then (angle 5° 57') S. 51° 10' W. 10 rods 12 L. to a stone M. then (angle 19° 50') S. 71° W. 19 rods 6 L. to a stone M. at the North side of the Western Avenue.

Book 6
Page 510

Said Street to be 2½ rds wide from High Street to the South West corner of the Fitts Estate, and 3 rods wide from thence to the Western Avenue, on the Northerly side of the above line.

(Cottage Park Avenue-continued)

tangency; thence N. 66° W magnetic a distance of fifteen (15) feet to an iron pipe and bolt in the ground at the southeast corner of the land now or formerly of Clinton H. Richardson; thence continuing in the same direction N 66° W magnetic a distance of eight hundred three (803) feet along a line parallel to and thirty seven and five tenths (37.5) feet northerly from the aforementioned easterly traverse of seven hundred eighty-two (782) feet to a point in the easterly right of way line of High Street which is the southwest corner of the land now or formerly of the City of Bath; thence in a southerly direction along the easterly right of way line of High Street a distance of thirty seven and seven tenths (37.7) feet to the point of beginning.

The above description is the southerly and northerly right of way lines of COTTAGE PARK AVENUE which is thirty-seven and five tenths (37.5) feet wide and has a turn around at its easterly extremity which is a circle of thirty (30) feet radius tangent to the northerly right of way line of said COTTAGE PARK AVENUE at a point fifteen (15) feet easterly from an iron pipe and bolt in the ground at the southeast corner of the land now or formerly of Clinton H. Richardson.

COTTAGE STREET

Beginning at a point in the northerly right of way line of Western Avenue which is the southeast corner of the land now or formerly of Leon E. Robbins and which bears S $85^{\circ}45'$ E a distance of sixty-five (65) feet from an iron rod in ledge at the southwest corner of the land now or formerly of Leon E. Robbins; thence N $6^{\circ}30'$ E (1903) a distance of four hundred fifty-seven (457) feet to a point of inflection which is the southeast corner of the lot now or formerly of Dennis J. Gaudet; thence N $9^{\circ}15'$ E (Deflection angle $2^{\circ}45'$ right) a distance of eighty-three (83) feet to a point in the southerly right of way line of the Leeman Highway (U.S. Route #1) which is the northeast corner of the lot now or formerly of Dennis J. Gaudet and which bears easterly along the southerly right of way line of Leeman Highway a distance of fifty-eight (58) feet from a granite right of way monument. The above described line is the westerly right of way line of COTTAGE STREET and the street is thirty-three (33) feet wide.

Vol. 24
Pages 591-592
(8/9/56)

CHARLES STREET

Beginning at a point in the southerly right of way line of Centre Street which is the northwest corner of the property now or formerly of Thersa R. Mellow; thence S $25^{\circ}50'$ W magnetic along the westerly line of the properties now or formerly of Thersa R. Mellow, Rita M. Mulcahy, Robert H. Cressey, William and Rita Bennett, James C. Hart and Emery W. Freeman a distance of four hundred sixty and five tenths (460.5) feet to a point of curvature; thence to the left a distance of twelve and four tenths (12.4) feet measured along an arc of 71 degrees 92 minutes with a radius of ten (10.0) feet to a point of reverse curvature; thence to the right a distance of one hundred thirty-one and four tenths (131.4) feet measured along an arc of 251 degrees 02 minutes with a radius of thirty (30.0) feet to a point of tangency; thence N $25^{\circ}50'$ E. magnetic along the easterly lines of the properties now or formerly of Ettore A. Sinibaldi, John C. Hart, Jr., Emanuel Gallant and Edward J. and Eunice S. Perry (which line is parallel to and a distance of thirty-three (33.0) feet westerly from the aforementioned southwesterly traverse of four hundred sixty and five tenths (460.5) feet a distance of four hundred ninety-nine and three tenths (499.3) feet to a point in the southerly right of way line of Centre Street which is the northeast corner of the property now or formerly of Edward J. and Eunice S. Perry; thence S $62^{\circ}30'$ E. magnetic along the southerly right of way line of Centre Street a distance of thirty-three and one one hundredths (33.01) feet to the point of beginning.

Vol. 25
Pages 218-9
(11/5/58)

The above description is the easterly and westerly right of way lines of Charles Street which is thirty-

of 239.73' said right of way to be 50' left of center line and 50' right of center line, thence South $82^{\circ} 27'$ East to Station 63+0 at Lincoln Street a distance of 625' said right of way to be 25' left of center line and 25' right of center line.

Base Line of Court Street Extension:

Beginning at a point in the present traveled way of Court Street, near its junction with Quimby Street, and designated as Sta. 2+50;

Thence S. $59^{\circ}-08'-10''$ W. one hundred five and five tenths (105.5) feet to P.C. Sta. 3+55.50;

Thence southwesterly by a $15^{\circ}-00'$ curve to the right one hundredths 120.00) feet to P.T. Sta. 4+ 75.50:

Thence S. $77^{\circ}-08'-10''$ W. three hundred thirty-five and no hundredths (335.00) feet to Sta. 8+10.50, which point equals Sta. 2+00 on the Floral Street Base Line.

Northwesterly Boundary Line of Court Street Extension

COURT STREET
EXTENSION

Beginning at a point twenty-five (25) feet southeasterly from and as measured along a line normal to the base line of Court Street Extension at about Sta. 4+49;

12/10/75

Vol. 29

Thence generally northerly along Court Street about sixty-eight (68) feet to a point twenty (20) feet northwesterly from and as measured along a line normal to the base line of Court Street Extension at about Sta. 4+29;

Thence southwesterly along a curved line twenty (20) feet northwesterly from and concentric with a $15^{\circ}-00'$ curve of the Court Street Extension Base Line about forty-four (44) feet to a point on a line at right angles to the base line of Court Street Extension at P.T. Sta. 4+75.50;

Thence northwesterly along said right angle line five (5) feet to a point twenty-five (25) feet north-easterly of the base line of Court Street Extension;

Thence S. $77^{\circ}-08'-10''$ W. about two hundred fifteen (215) feet to a point in the southerly line of land now or formerly of George P. Perry and Dorothy M. Perry, said point being twenty-five (25) feet northwesterly from and as measured along a line at right angles to the base line of Court Street Extension at about Sta. 6+91;

Thence westerly along the southerly line of land now or formerly of George P. Perry and Dorothy M. Perry about eighty-five (85) to a point in the present easterly line of Floral Street;

Thence southerly along the present easterly line of Floral Street about one hundred eight (108) feet to a point, said point being at the southwesterly end of the southeasterly boundary line of Court Street Extension to be hereinafter described.

Southeasterly Boundary Line of Court Street Extension.

Beginning at a point in the present southeasterly line of Court Street, said point being twenty-five (25) feet southeasterly from and as measured along a line normal to the base line of Court Street Extension at about Sta. 4+49;

ING-
to
ing
t and
Charles
ac-
t in
Bath.

The City Council met in special session at the corner of Charles and Center Streets for the purpose of conducting a Public Hearing on the proposal to lay out and accept Charles Street as an accepted street for the use of the residents of the City of Bath.

Chairman Mitchell called the meeting to order at 5:30 P.M. o'clock.

PRESENT: Chairman Mitchell, Councillors Atkinson, Lee, Harvie and Merchant. City Manager Judkins and City Clerk Ring.

Chairman Mitchell called the meeting to order and explained the purpose for which it was called to residents present, to wit: John Hart, Jr., William Bennett, Emery Freeman, Wendell Freeman, Alanson Brewer, Ettore Sinibaldi, Demorise Hart and Robert Cressey, who after reviewing the street as proposed offered no objections to the Council accepting the street in the manner as described in the Notice and plan as presented at the meeting. No objectors appearing at the legally posted meeting as prescribed by law and no other business to appear before the Council, Chairman Mitchell declared the meeting adjourned at 6:00 P.M. o'clock.

Meeting adjourned at 6:00 P.M.

Attest:

Harry E. Ring
City Clerk

DEERING STREET

Beginning at an iron bolt upon the southerly line of a contemplated Street called Washburn Street thence running north (40° 45' E); thirty three feet to the north side of said Washburn Street and same course sixty four to the south line of land of G. G. Deering thence same course upon land of said Deering one hundred thirty two and one half feet (132½) to a stake thence making a deflection to the right of 24° 0' and running north 28° 55' E. one hundred and eleven feet (111ft.) to a fence upon the north line of said Deering's land. Said Street to be thirty feet wide upon the western side of the above described line.

Vol. 10
Page 115
Sept. 7, 1891

DEERING STREET EXTENSION

Beginning upon the easterly line of Deering Street and at the northerly line end of said street as established Sept. 7th, 1891, thence running North 28° 55' E about thirty two feet thence making a deflection of 19° to the West and running north 9° 55' E. by land of G. E. Deering and the westerly line of land of Kate Rice, about one hundred thirty eight feet to the south line of Bath Street, said line to the easterly line of said extension of Deering Street. The westerly line of said street to begin at the south line of Bath Street twenty five feet westerly from the east line, and thence running South 9° 55' by land of G. G. Deering parallel and the east line and twenty five distant therefrom, about one hundred twenty feet to an angle, thence South 28° 55' West about fifty six feet to the fence at the westerly side of Deering Street at its northerly end as established Sept. 7th, 1891. Said extension of Deering Street to Bath Street to be partly thirty feet wide and partly twenty five wide as shown in sketch.

Vol. 14
Page 70
Nov. 13, 1907

DRUMMOND STREET

Beginning at the Northeast corner of the wall on the premises of Francis Lightbody, thence running southerly and westerly to holes drilled at the corner of land owned by Preble & Dunton; thence continuing in a direct line to a monument eight feet six inches south and east of the basement wall of the main building of G.H. Cowan's Store; thence continuing in a direct line to Washington Street. Said street to be forty feet wide on the southerly and easterly side of said lines.

Vol. 7
Page 473

Located August 6th, 1864

DUMMER STREET

Begins on the North side of York Street at a stone M. and runs N. 6° 25' E. 55 Rods 23 L. to a stake.
To be 42 feet wide on the east side of the above line.

Book A
Page 575

DUMMER STREET EXTENDED

Beginning at the North end of Dummer Street, on the West line running northerly on the same course of said street over land of William D. Sewall's To Charles Clapp's South line, -- said Street to continue the same width, say, forty two feet on the East of said line and course.

Book A.
Page 527

DUMMER STREET COURT

Court opening to Edward Street.

Book 10
Page 32





EDGETT STREET

Beginning at an iron pipe driven into the ground in or near the North line of Center Street; thence running N. 11 degrees and 29' E. over land of William F. Edgett 105.00 feet to a drill hole in ledge standing 56.36 feet distant northerly from the southeast corner of the dwelling house of said Edgett also 65.50 feet westerly from the northwest corner of house numbered 1 Edgett Street; thence continuing over land of said Edgett N. 16 degrees and 45 minutes East 396.85 feet to an iron bolt driven into the ground and to land now or formerly of S. F. Dike, said point standing 33.48 feet distant westerly from the northwest corner of the house lot of John D. Bishop. The described line to form the westerly line of a street to be thirty-three feet in width and passing over land of William F. Edgett and Mrs. Elizabeth King, and to be known as Edgett Street.

City Record
Book, 19
Page 507
Jan. 6, 1932

EDWARD STREET

Beginning on the West side of Washington Street at the South East corner of Elisha Walleth's land eighteen inches south of an Elm Tree at a stake; thence north Seventy degrees West fifteen rods and one link to a hole in the ledge; Thence north Eighty seven degrees West to a stake on the east side of Dummer Street; Said street to be thirty three feet wide on the South side of said courses and monuments.

Book A
Page 115

ELM STREET

Begins at a stone M. on the East side of Washington Street, and runs S. 87 degrees 20' E. 33 R. 6 L. to the West line of Front Street, which line produced, would pass one rod southerly from the S.W. corner of the Brick Store belonging to William W. Rogers. Said Street to be two rods wide on the North side of the above line.

Book A.
Page 517

Dec 1852

ELSINORE AVENUE

Beginning upon the northerly side of Western Avenue at the southwest corner of Lot No. 1 of the Elsinore Real Estate Co., four hundred and ninety nine (499) feet to a stake upon the south line of Cross Street, so called, the above described line to be the east line of said street, and the street to be 33 feet wide, said street to be called Elsinore Avenue. Then beginning at a stake upon the easterly side of Elsinore Avenue and running easterly one hundred and sixty-five (165) feet to a stake upon the west side of Cottage Street. This to be the South line of Cross Street,; street to be 30 feet wide.

Vol. 13
Page 217-18

EDWARD STREET COURT

Beginning on the north side of Edward Street, at the southeast corner of Donald and Lorraine Cromwell's land, one hundred and eighty-six (186) feet east from the east line of Dummer Street; and running north thirteen (13) degrees forty-five (45) minutes east, one hundred and thirty (130) feet and ten (10) inches; said court to be twenty (20) feet wide from the west side of said court.

Vol. 23.
Pages 441-442
(June 21st,
1949)



FARRIN STREET

Beginning on the South side of Western Avenue at a Stone Monument near the North West corner of Solomon Higgins land; thence running Southerly to the North side of Richardson Street, at the south west corner of land of James Pattee; said line to be the easterly side of said New Street, which is to be two rods wide westerly of said line and running over land originally reserved for a street.

Book B.
Page 431

FARRIN STREET

Beginning at an iron pipe driven into the ground in the South line of Richardson Street standing 8.30 feet distant northwesterly from the northwest corner of W.P.Kingsbury's Store No. 40; also 38.33 feet easterly from the northeast corner of house numbered 4 1/2 Richardson Street; thence running S. 11 degrees and 30 minutes west 145.95 feet to an iron pipe driven into the ground and to land of Peter E. Reno. The last described point standing 31.63 feet distant southerly from the foundation of the southwest corner of house No. 7 Farrin St. also 9.00 westerly from the northwest corner of the brickhouse owned by Peter E. Reno Numbered 1 Farrin St., and the described line to form the Easterly line of a street to be thirty feet in width and laying over land formerly reserved and used as a street and to be known as Farrin Street.

City Record
Book 19
Page 507
Jan. C, 1872

FEDERAL STREET ✓

Begins at a stone M. on the East side of Washington Street and runs S. 86 degrees 48' 17" R. 12" L. by land of William Heath to the West side of Water Street with which it makes an angle of 88° 22' -- Said street to be two rods wide on the South side of the above line. N.B. The West line of Water Street referred to above, is the line located this year, running one course from South St., Southerly.

Book A.
Page 520

*Filed
Discontinued
3/23/66*

FERRY STREET

Bounded on the South side by a line extending eastward from Front Street through a point nine inches north of the North West corner of the brick block of William M. Rogers and a point twenty inches north of the North East corner of the same block to Commercial Street, the street to be thirty two and one half feet wide on the North side of said line. Located October 14th, 1853.

Vol. 3
Page 393

*Continuation
of
Ferry Street
by Peter E. Reno
4-5-20-17*

*Continued
15, 1968*

FITTS STREET.

Beginning on the Northerly side line of North Street at a stake standing at the south east corner of house lot owned by Martin B. Doyle; thence running about North 3 1/4 degrees East 271.25 feet passing 12.94 feet distant Easterly from the North Easterly corner board of house numbered 18 to a stake standing on the Scutherly line of Tallman Street as recently laid out. Thence same course North 5 1/4 degrees East 40.0 feet to a stake standing on the Northerly side line of said Tallman Street. Thence same course North 3 1/4 degrees East 216.35 feet to a stake and to land formerly owned by Kimball now owned by Isaac H. Rideout. Said Street to be 30 feet in width and extending Easterly from the above described line.

Vol. 16
Page 402
May 2, 1917

Then (angle $3^{\circ} 41'$) N. $7^{\circ} 35'$ E. 6 R. $12\frac{1}{2}$ L. to a bolt under the sidewalk, 35 feet from N.W. Corner of Brick Store--then (angle $24^{\circ} 30'$) N. $32^{\circ} 40'$ E. 12 R. 2 L. to a stone M. near the S. E. Corner to Mrs. Stewart's land. Then (Angle $4^{\circ} 30'$) N. $28^{\circ} 30'$ E. 46 R. 18 L. to a stone M. at the North side of North Street. Then (Angle $0^{\circ} 41'$) N. 28° E 16 R. 17 L. to a Stone M. at the North side of Grove Street--then (Angle $14^{\circ} 45'$) N. $12^{\circ} 45'$ E. 8 R. 1 L. to a Stone M.--then (Angle $2^{\circ} 4'$) N. $10^{\circ} 40'$ E. 27 R. 18 Links to a stone M. at the North side of Pearl Street--Then (Angle $2^{\circ} 32'$) N. 8° E. 18 R. 18 L. to a Stone M. at the South side of Cedar Street, and same course 16 feet further--Then (Angle $16^{\circ} 2'$) N. $24^{\circ} 5'$ E. 18 feet 8 inches to a stone M. at the North side of Cedar Street, and same course 45 h. 15 L. near to a stone M. at the East line of Bowery Street, making an angle therewith of $34^{\circ} 40'$, said street to be 2 rods wide on the Easterly side of the above line, and the East line is continued Northerly until it strikes the east line of Bowery Street, also, the east line from North Street to the angle at Mrs. Stewart's is continued Southerly until it again strikes the east line of Front Street, N.B. The East line of Front Street from W. Hyde's to Summer Street is as follows;; Beginning on the old line two rods easterly from the bolt at Hayden's North east corner one runs N. $8^{\circ} 55'$ E. 20 R. 8 L. to a point 4 feet westerly from the S. W. corner of William M. Rogers brick Store, and opposite the Middle Line of Elm Street-- Then (Angle $3^{\circ} 25'$) North $5^{\circ} 30'$ E. 17 R. 11 L. to a point two feet west of the N. W. Corner of McLellan's South Store.)

Book A.
Page 506

At the South corner of Front and North Streets, the West line of Front Street begins 25 feet westerly of the line described above, on the South side of North Street and runs southerly at right angles with North Street until it meets the West line of Front Street as above described.

FRONT STREET-- EAST LINE CORRECTED.

Beginning on the East side of Front Street, opposite to the bolt at the North East corner of land belonging to John Hayden and thirty three feet distant there from, thence North thirteen and a half degrees East six rods and eighteen links to a bolt in the ledge near the North line of Arch Street and forty nine feet ten inches from the North East corner of the Ellict House building--thence North five and a third degrees East, fourteen rods and two links to the point four feet Westerly from the South west corner of William M. Rogers Brick Store. Said line to be the Eastern line of that part of Front Street being the same line which was established by the survey and relocation of the year one thousand eight hundred and thirty eight.

Book A
Page 578

FRONT STREET NEW LOCATION AND EXTENSION

The West line begins at the South side of Center Street, and West side of Front Street and runs Southerly 9 rods, 17 links to a stone set in the ground marked M. which is two feet west of the present line at that point; thence southerly to the south side of Vine Street to a stone marked M., which is seven feet East from the point that the present line would strike if continued; thence southerly at right angles with Vine Street to the South side of the land of the Kennebec and Portland Railroad Company.

Book A.
Page 579

The East line begins at the south side of Devenport's Lane fifty three feet Easterly from the West line of Front Street and runs Southerly to a point opposite to, and forty feet from the stone marked M. first mentioned above; thence parallel to, forty feet from the West line above described to the South side of the Railroad Land.

FRONT STREET

Beginning at a bolt near the N. W. corner of G. H. K. Barton's land and distant north from the N. W. corner of Brick Store opposite Summer Street Ninety four feet two inches (94' 2") thence N. 8° E. (Angle 2°) 89' 6" eighty nine feet six inches to a Monument which is three feet four inches (3' 4") easterly from the present line of Front Street; thence S. 16° E. (Angle 7° 49') two hundred twenty-nine feet nine inches (229' 9") to an intersection with the East line of Front Street and marked by a bolt in the wall.

Vol.H
Page 115

Forest Rd.
10/2/63

TO: THE CITY COUNCIL OF THE CITY OF BATH, MAINE:

We, the undersigned, members of the City Council, upon the petition of Philip Leavitt, et als., to lay out and establish a public street in the City of Bath (Forest Road), and having given seven days notice of intention to lay out and establish said public street as described in order of notice duly prescribed by law by posting notices in two public places, in said City of Bath, and one in the vicinity of the proposed public street, to wit: one at the City Hall, one at the Court House and one in the vicinity of the proposed public street on September 23, 1963, and having met at the time and place appointed, Forest Road at 6:50 P.M. on Wednesday, October 2, 1963, for the purpose and having personally examined the proposed street, and no abutting property owners objecting, are of the opinion that there is need for a new extension of this street for the use of said City of Bath as proposed, and find that said proposed extension is of common convenience and public necessity and lay out the said extension as follows:

Discontinued
9-29-76
Special Town Meeting
Vol. 26
Pg. 167

Beginning at a monument on the north side of Centre Street, said point being located 73'-4" from the northeast corner and 75'-9" from the northwest corner of the apartment house located on Lot #23 on the plan of Hyde Park as surveyed by New England Service, Inc., of Boston, Mass. Thence extended North 41° 21', E 505', to a bolt in Center Line of a stone wall of one Virginia Bailey. Said street to be 40' in width and to lie on the easterly side of the above described line.

FEDERAL STREET

TO THE HONORABLE CITY COUNCIL CITY OF BATH, MAINE

Respectfully Represents, the Bath Iron Works Corporation, a duly organized and existing corporation under the laws of the State of Maine, having its principal place of business at Bath, County of Sagadahoc and State of Maine, being a taxpayer in the City of Bath;

That a portion of said Federal Street, which was laid out December 1, 1852, to which reference may be had to Book A. Page 520 of the City Clerk's records of the City Clerk's records of the City Streets of the City of Bath, Maine, be discontinued as shown on the attached plan where indicated, which plan is incorporated into and made a part of this petition;

Book 26
Page
August 4, 19

And That the portion of said Federal Street is forty-five feet, six inches (45' 6 ") westerly from what was formerly the westerly line of Water Street (which is now discontinued) and maintaining a width of thirty-three feet, one inch (33' 1"), for the reason that the Bath Iron Works Corporation desires to fence off that

GODDARD STREET

From Marshall Street to Gatchell Street.

Layout of June 5, 1901.

City Records, Book 12, Pages 368 and 369.

"The J. S. Com. on New Streets to whom was referred the petition for a new Street to be called Goddard Street...have examined deeds and boundary lines of property on said contemplated Street and would recommend that a Street forty feet (40) wide be laid out from Marshal Street to Gatchell Street in accordance with the deeds and lines already bounding said contemplated Street, and when amicably agreed upon that the said Street shall be accepted as a new Street to be known as Goddard Street and recorded..."

The contemplated Street has been used in its present condition for 20 years or more..."

Accepted October 2, 1901.

City Records, Book 12, Page 402.

"That Goddard Street be accepted according to the bounds given and that the sum of \$50.00 be expended on said Street."

GARDEN STREET

Begins at a Stone M. on the North side of Oak Street and runs S. $15^{\circ} 28'$ W. 20 R. 13 L. to a stone M.--then (Angle $83^{\circ} 42'$) S. $89^{\circ} 50'$ E. 13 R. 23 L. to the West side of Washington Street to a Stone M.

Said street to be 2 rods wide on the Easterly and southerly sides of the above line.

Book A.
Page 516

GATCHELL STREET

So much of Gatchell St., as is between Washington and Middle Sts., to be discontinued.

Vol. 4
Page 23
June 6/66

GATCHELL STREET

Commencing on the West side of Washington Street, at a stake standing fifty nine feet from the South East corner of Arnold & Co's Store lot so-called, thence westerly to a stake standing two feet north of the North East corner of William Gatchell's dwelling house to High Street. The Street to be forty feet wide, north of said line.

Sept. 6th, 1865

Vol. 4
Page 4
See order
May 1, 67.

GATCHELL STREET

Beginning on the East side of Middle Street at the North East corner of Land owned by A. G. Page then easterly to a stake on the East side of Washington Street forty five feet South of Arnold & Co's Store so called. The said line and course to be the South side of said Street. The Street is to be forty feet wide.

Bath, August 7th, 1867

Vol. 4
Page 214

GRANITE STREET

A Street from High Street running East by Flipplet Mitchell House. Beginning on the East side of High Street at a hole in the rock marked H. thence East 55 rods to the West line of William V. and Oliver Moses land, said street being two and a half rods wide on the South side of said line and course.

GRANITE STREET

Begins at a hole in ledge on the East side of High Street and runs S. $87\frac{1}{2}^{\circ}$ E. 34 R. 11 L. to a Stone M. at the East side of Middle Street, then (Angle $1^{\circ} 52'$) 14 R. 20 L. to the Eastside of Franklin Street and same course 5 R. 10 L. More.

Said Street to be Forty feet wide from High to Middle Street and 55 feet wide from Middle Street to the East end.

Book A.
Page 519

GREEN STREET

Begins at a Stone M. on the West side of High Street and runs N. $73\frac{1}{2}^{\circ}$ W. 6 Rods to a stone M., then (Angle 7°) N. $73\frac{1}{2}^{\circ}$ W. 12 rods to a stone M. then (Angle $6^{\circ} 35'$) N. $86^{\circ} 28'$ W. 57 R. 9 L. to a stone M. on the East side of Lincoln Street. Said street to be 40 feet on the South side of the above line.

Book A.
Page 510

GRANITE STREET

Discontinuance - part of

Resolution by City Council on March 5, 1975 - That portion of Granite Street lying easterly of the east sideline of Franklin Street be abandoned, and that said portion be Quit Claim deeded to the United States Postal Service.

HARWOOD STREET

Begins at a stone M. on the West side of Washington Street which is S. 77° W. 58 feet from the center of the White Oak Tree at Mrs. Peterson's; thence S. 87½° W. 30 Rods to a Stone M.; then (Angle 8° 6') N. 84½° W. 39 R. 15 L. to a stone M. on the East side of High Street.

Book A.
Page 512

Said Street to be two rods wide on the South side of the above line.

HIGH STREET

*sec 23 54

Begins at a Pine stump, which is three feet east from a hole in ledge opposite land of Charles Russell, and runs S. 15° W. 32 Rods to a hole in ledge opposite land of Louis Evrard; the (Angle 2° 30') S. 17° W. 48 R. 13 L. to a hole in ledge opposite the house of Allison Brown; Then (Angle 6° 18') S. 10° 35' W. 30 R. 2 L. to a stone M. at Mrs. Peterson's north line. Then (Angle 10° 20') S. 21° 10' W. 36 R. 13 L. to a stone M. at north side of Harwood Street; then (Angle 3° 57') S. 17° 30' W. 22 R. 20 L. to a Stone M.--Then S. 5° W. 25 Rods to a stone M.--Then S. 11° 15' W. to a stone M. at the north side of Winship Street 35 R. 4 L.--Then Angle 2° E. S. 12° 30' W. 28 Rods to a Stone M.--Then (Angle 7° 30') S. 5° W. 33 R. 9 L. to a stone M. at the S. W. Corner of Scott Morse's Land--Then (Angle 3° 40') S. 14° 35' W. 25 R. 20 L. to a hole in ledge marked H. Then (Angle 3° 10') S. 11° 25' W. 26 R. 21 L. to a hole in ledge; then (Angle 10°) S. 21° 15' W. to center of a White Oak Tree, and 2 rods farther to a stone M.--Then (Angle 17° 7') S. 4° 15' 22 Rods to a stone M.--Then (Angle 14° 30') S. 18° 40' W. 16 R. through the center of a white oak tree to the rail road land or fence which is 5 links westerly from the center of the tree. Then from a point on the last line 6 rods 22 links from the Stone M. at the North end there of lay off a right angle to the West side of the Street to a stone M.--then S. 29° W. 12 Rods 12 L. to the S. W. corner of the Railroad Bridge. Then (Angle 24° 40') S. 4° 30' W. 29 Rods 8 links to a point opposite a hole in ledge on the East side of the street marked X.

Book A.
Page 504

The East line of said street, then commences at a fence on the South side of the Railroad land and runs S. 5° 32' W. over a hole marked H. 26 R. 2 L. to the hole marked X above mentioned. Then S. 14° 45' W. 13 Rods to a Stone M. near the N. W. corner of the Widow Higgins' land--The (Angle 7° 51') S. 22° 10' W. 27 Rods 22 links to a belt in ledge--then (Angle 2° 5') S. 20° 30' W. 8 R. 4 L. to a belt in ledge at James Robbins North line--Then (Angle 12° 13') 19 Rods 9 links to South side of North Street--then (Angle 10° 30') S. 2° 45' E. 26 R. 9 L. to a stone M.--then (Angle 10° 45') S. 7° 30' W. 207 Feet 6 inches to the north side of Oak Street--N.B. The east line of the Street between the two last stations is a curve to the eastward, whose chord is the above line of 207½ feet and whose versed sine is nine feet.

Then from the Stone M. at the north side of Oak Street at an angle with the cord line of 13° 5' the course is S. 20° 30' W. 30 R. 14 L. to a stone M. at the south side of Winter Street--thence (Angle 2° 35') S. 23° 2' W. 64 R. 25 L. to a stone M. at the N.W. corner of the school house lot--then (Angle 8° 20') S. 15° W.)by a hole 2 rods 14 links from last station) 18 R. 10 L. to a stone M. at the N. W. corner of John Tucker's fence--then (Angle 11° 30') S. 26° 20' W. 34 R. 4 L. (Over a hole in ledge at the North side of Granite Street) to a hole in ledge marked H.--then (Angle 18° 43') S. 7° 25' 27 rods 23 links to the S. W. corner of William M. Rogers' barn--then (Angle 7° 23') S. 15° W. 11 Rods 10 L. to a stone M. at the North side of South Street--Then (Angle 6° 30') S. 21° 35' W. 12 R. 13 L. to a stone M. --then (angle 1° 24') S. 22° 50' W. 12 R. 2 L. to the stone M.--then (Angle 6° 43') S. 29° 30' W. 23 R. 14 L. to a Pine tree, where the lower rail of the fence is nailed on--then (Angle 20° 20') S. 9° 15' W. 38 R. 14 L. to a hole in rock opposite South window of William Morris's House and same course 30 Rods to a stone M.--Then (Angle 17° 22') S. 8° E. 27 R. 17 L. to a stone M. at the North side of Pine Street, and same course 3 rods 11 links to a stone M.--then (Angle 14°) S. 5° 30' W. 51 R. 21 L. to a Stone M.--Then (Angle 12° 40') S. 28° 15' W. 15 R. 7 L. to the North West corner of William Weeks' wood house.--then (Angle 9° 50') S. 18° 30' W. 13 Rods to a

HIGHLAND STREET

Commencing at the North West corner of land owned by the heirs of David W. Coombs, thence running in a straight southerly course to the south west corner of land owned by Allron P. Chaney, said course and line being the east side of Pine Street Court, thence running on a straight line with said East side of Pine Street Court, to a stake on Corliss Street, the Street to be thirty three feet wide on the West side of the line described.

June 3/74

Vol.6
Page 58

HIGHLAND STREET

Beginning on the Northwest corner of land of David M. Coombs on the south side of Pine Street, thence southerly by the East line of Pine Street Court to land of John and Horace Warr, thence continue the same course seventy three feet to land of Warren Bowles, thence to continue the same course to the north line of Corliss Street about seventy three feet, the said line and course to be the east side of said Street. The Street is to be thirty feet wide.
Relaid out June 3/74 See page 57. Vol. 6.

Vol.4
Page 106
Apr. 18, 1868

See Groer
Sept. 2/68

HINCKLEY STREET

Beginning at a monument on the West line of Washington Street, 134.7 feet southerly from the monument at the south corner of Spring Street and making an angle 72° 18' with the west line of Washington Street and running about N. 83½ West 518 feet to a monument upon the east line of Middle Street 120-4 feet south of the monument at the south corner of Spring Street the above described line to be the north line of the street. The south line of the street begins at the north west corner of land of one Avery upon the East line of Middle Street and 24 feet southerly from the monument upon the north line of the street thence running south 83½ E parallel with the north line of said street and twenty four feet distant therefrom 310 feet, thence making a deflection toward the south and running 130 feet to the west line of Washington Street and intersecting said line 71 feet southerly from the monument upon the north side of said street.

Vol.10
Page 477
Dec. 1, 1893

HUNT STREET

Beginning on the West side of Washington Street, one rod south of Alexander Robinson's North east corner at a monument, thence westerly to a point one rod south of said Robinson's old North line to Middle Street. Said Street to be two rods wide, north of said line.

June 7th, 1865

Vol.3
Page 545

✓

1

2

3

JUDKINS AVENUE

BEGINNING on the westerly side of Oak Grove Avenue, at a point marking the southeast corner of land of Sherred Corp. as described in deed dated August 23, 1971 and recorded in Sagadahoc County Registry of Deeds in Book 377, Page 1147; thence in a general southeasterly direction following a curve to the right, having a radius of fifteen (15) feet and along land of Sherred Corp. to a granite monument set in the ground; thence N 81° -45'-30" W (bearing 1954) along land of Sherred Corp. a distance of four and fifty-nine hundredths (4.59) feet to granite monument; thence in a westerly direction along land of Sherred Corp. and following a curve to the left, having a radius of four hundred seventythree and two hundredths (473.02) feet and a length of four hundred forty-six and nineteen hundredths (446.19) feet (446.19 is derived from the distance of 456.96 feet as shown on "Plan Showing a Portion of Land of Harold J. Sonio and Frank Allegrin, to be Acquired by the City of Bath, Maine", dated September, 19454 and recorded in the Sagadahoc County Registry of Deeds in Plan Book 5, Page 55, less the distance of 8.77 feet as shown on "Standard Boundary Survey for Nathaniel S. Clifford, Judkins Avenue & Oak Grove Avenue, Bath, Maine", dated March 19, 1986 and recorded in Sagadahoc County Registry of Deeds in Plan Book 22, Page 81), to a monument set in the ground and land of Sherred Corp.; thence along land of Sherred Corp. and along the arc of a five hundred thirty-three and two hundredths (533.02) foot radius curve to the left, a distance of eight and seventy-seven hundredths (8.77) feet to the point of tangency of said curve, as more particularly shown on "Standard Boundary Survey for Nathaniel S. Clifford"; thence S 49°-20' W (bearing 1954) along land of Sherred Corp. a distance of forty-one and thirty-four hundredths (41.34) feet to a point marking the easterly corner of land now or formerly of Richard C. Cillo and Susan E. Cillo as described in deed recorded in Sagadahoc County Registry of Deeds in Book 677, Page 318; thence S 49°-20' E (bearing 1954) along land now or formerly of Cillo a distance of two hundred eighty-four and eighty-six hundredths (284.86) feet to a four inch by four inch (4"x4") granite monument set in the ground near the Old Brunswick Roadm so-called; thence in a general northwesterly direction following a curve to the right , having a radius of fifteen (15) feet, to the northeasterly side of the Old Brunswick Road, so-called; thence in a general southerly direction along the northeasterly side of Old Brunswick Road a distance of eighty-eight and sixty-five hundredths (88.65) feet to a point and land now or formerly of Mark A. Gilbert and Joanne F. Gilbert; thence in a general north-easterly direction following a curve to the right, having a radius of fifteen (15) feet, to a point; thence N 49°-20' E (bearing 1954) along land now or formerly of Gilbert, and land now or formerly of John R. Shorey and Davee B. Shorey, a distance of two hundred eighty-seven and thirty-two hundredths (297.32) feet, to an iron pipe found and land now or formerly of Claudette J. Cote; thence along land now or formerly of Cote a distance of fifty-two and forty-one hundredths (52.41) feet to a point; thence following a curve to the right, having a radius of four hundred seventy-three and two hundredths (473.02) feet and a length of four hundred three and seventy-five hundredths (403.75) feet, and running along the northerly side line of land now or formerly of said Cote, land now or formerly of Charlene J. Nicolino, and land now or formerly of Leroy K. Hawes, to the point of tangency of said curve; thence S 81°-45'-30' E (bearing 1954) along land of Hawes a distance of four and fifty-nine hundredths (4.59) feet to a point; thence following a curve to the right, having a radius of fifteen (15) feet, to the west side of Oak Grove Avenue; thence N 8°-14'30" E (bearing 1954) along Oak Grove Avenue a distance of ninety (90.00) feet to the point of beginning.

Accepted

May 7, 1986

The above described premises, commonly referred to as Judkins Avenue, is more particularly shown on survey entitled "Plan Showing a Portion of Land of Harold J. Sonia and Frank Allegrin, to be Acquired by the City of Bath, Maine",

KENNEBEC CIRCLE

Street to be twenty feet wide. Starting 115 feet south on Water Street from the property line on the corner of Blasland Lane and Water Street and going in a westerly direction on an arc the radius of which is 200 feet. The center of the radius to be the property line of Water Street and continuing for a distance subtended by 23 degrees. Thence from this same radius line and with a center on this radius line northwesterly by an arc with a radius of 100 feet for a distance subtended by an arc of 45 degrees and thence in a northerly direction by an arc with a radius of 62 feet for a distance of arc subtended by an angle of 43 degrees and thence into Blasland Lane.

Meaning and intending to lay out said proposed street as shown on plan dated July 29, 1940, drawn by Alcnze J. Harriman.

Vol. 21
Pge. 526-7
Sept. 4, 1940

*Discontinued
(3/13/66)*

KING STREET

Begins at a Stone M. on the East side of Washington Street, and runs S. 81° E. 9 R. 23 L. to a Stone M. on the West side of Water St., Said street to be two rods wide on the North side of the above line.

Book A.
Page 519

KING STREET (REVISED)

A parcel of land on the east side of Washington Street and the north side of King Street where side lines of Washington and King Streets intersect at corner, which said parcel of land lies between the following described lines: Beginning at said described corner and extending northerly along the east sideline of Washington Street a distance of fifty (50') feet to a point; also a line beginning at said corner of Washington Street and King Street and extending easterly along the north sideline of King Street a distance of fifty (50') feet to a point; these points connected by an arc of fifty (50') foot radius, the center of which is at a point northeasterly from the corner formed by the easterly line of Washington Street and the northerly line of King Street, at a distance such that the intersections of said arc of fifty (50') foot radius intersects Washington and King Streets and is tangent to King Street. The foregoing parcel of land being the same as shown and described on plan of said streets on file with the City Clerk of the City of Bath and attached to and made a part of the petition for the laying out of said public street.

KING STREET
(Revised)
July 6, 1960
Vol. 25,
Page. 435

KENNEBEC CIRCLE

Discontinued in accordance with petition and plan of Bath Iron Works Corporation.

Vol. 26.
Page 425
(3/23/66)

KENNEBEC CIRCLE

Oct. 3, 1984

All that land situated in Bath, County of Sagadahoc, State of Maine, shown as roads and designated as Mill Pond Circle, Mill Pond Drive, and Kennebec Circle, as shown on a Plan of Mill Pond for The Kennebec Group drawn by Main-Land Consultatns, Inc., dated May 29, 1980 and recorded in Plan Book 17, Page 12 of the Sagadahoc County Registry of Deeds, to which plan and its record reference is hereby made for a more particular description.

The Grantee herein, The City of Bath, accepts the dedication of the roadways above described subject to the condition that the Grantor, George H. Glover, Jr., will retain responsibility for any repairs to that portion of the road area beginning at the entrance to the Mill Pond Subdivision on the Old Brunswick Road and running southwesterly and southerly to a line which is the easterly extension of the southerly line of Lot No. 22, which repairs are necessitated as a result of damage occurring from the date hereof through May 1, 1985, caused by drainage, runoff, storm flowage, frost, washout, or the like.



LAMBARO'S LANE

Beginning on the corner of Front Street and Lombard's Lane at the South west corner of land of the Corporation of the Sagadahoc Bank, thence running easterly by said Bank Lot and Land of Peleg Wadsworth to Commercial Street--said line to be the Northerly side of said new Street which is to extend in width southerly from said line about twenty four feet to land of the United States, called the "Custom House Lot", all of the said street so laid out as aforesaid, being that formerly and hitherto called Lombard's Lane situated in said Path.

Book B.
Page 415

LIBBY'S COURT OR STREET

Beginning at a point in or near the Westerly side line of Middle Street said point standing 17.91 feet Southerly from the southeast corner of house numbered 351 Middle Street and 27.40 feet distant northerly from the North Easterly corner of house numbered 490 Middle Street. Thence running North 72 Degrees and 30 minutes West 300.19 feet to a point 27 feet northerly from and square to the line as described; thence same course 79.23 feet to land of Palmer Estate. Total distance from point of beginning to the fence being 388.43 feet. Said Court to be 27 feet in width and laying on the Southerly side of the above described line, over land reserved for a Court or Street.

Vcl. 14
Page 509
Sept. 7, 1810

LINCOLN STREET

Begins at a stone M. on the South side of North Street at a point where the West line of the Brunswick hotel would strike if continued, thence S. 27° 35' E. 116 h. 14 L. to the East side of Stone M. opposite Academy Street, then (Angle 17° 33') S. 10° 11' E. 41 h. 22 L. to a stone M. at the North line of Center Street.

Book A
Page 511

Said street to be three rods wide on the easterly side of the above line.

LINCOLN AND NORTH STREETS

By continuing the Easterly line of the Street or Avenue leading from Maple Grove Cemetery to North St., across North Street striking land of Elbridge Randall forty one feet and eight inches easterly of the corner of Lincoln and North Street; thence on the same course over land of said Randall, seventy one feet and eight inches to Lincoln Street.

Vcl. 6
Page 177
Sept. 5/75

September 15th, 1875

LINDEN STREET

Begins on the East side of Washington Street 27 feet 8 inches Southerly from the S. W. corner of A. K. Mitchell's land, and runs S. 86½° E. 20 R. 2 L. to a stone M. on the West side of Front Street passing six feet southerly of the S. E. Corner of the brick House occupied by John O. Fiske.

Book A
Page 521

Said Street to be two rods wide on the south side of the above line.

LEMONT STREET

Beginning on the East side of High Street; at a stake nine feet South of the North West corner of the fence on the land of William Bates, thence South 71½ degrees East 25 Rods 20 links to a stake 5 feet north of the Northwest corner of Mrs. P. F. Sprague's house, thence South 68¼ degrees East 12 Rods 18½ links, to a stake opposite the West side of Middle Street; thence South 75 degrees East 23 Rods, 5 links to a point opposite the east side of Washington Street, at a stake.

Vcl. 3
Page 79

Said Street to be forty feet wide on the North side of said courses and monuments. Located and established June 25th, 1860.

December 5, 2007

MARINER'S WAY

A certain lot or parcel of land with any improvements thereon, known as Mariner's Way, which runs westerly from Washington Street in Bath, County of Sagadahoc, State of Maine, and being depicted as the road on a plan entitled "Subdivision Plan – Washington Heights", by Sitelines P.A., dated July 14, 2004, recorded in the Registry of Deeds for said County in Plan Book 39, Page 97, and on a revised version of said plan dated January 13, 2005, recorded in said Registry in Plan Book 40, Page 86, said parcel being more particularly described as follows:

BEGINNING at a survey pin set on the northwesterly right-of-way line of said Washington Street at a point N 23° 58' 34" E along said line a distance of 12.53 feet from an iron rod found in ledge adjacent to a chiseled "M", which rod is an angle point in the layout of said street, said survey pin set marking the northeasterly corner of land now or formerly of Clarence & Bernice Cash as described in a deed recorded in said Registry on Book 2581, Page 72;

THENCE N 23° 58' 34" E along said line a distance of 15.05 feet to a survey pin set, thence continuing N 23° 58' 34" E along said line a distance of 82.00 feet to a granite road monument set at land now or formerly of Daniel Couture as described in Book 2296, Page 81;

THENCE N 79° 04' 54" W along said land a distance of 86.47 feet to a survey pin set in ledge on the southeasterly line of Lot 1 on said subdivision plan;

THENCE S 15° 11' 54" W along said Lot a distance of 34.50 feet to a survey pin set in ledge (See monument note below) at the most southerly corner of said Lot 1;

THENCE N 70° 55' 06" W along said Lot a distance of 37.72 feet to a survey pin set in ledge (See monument note below);

THENCE northerly along said Lot and Lot 3, and along a non-tangent curve to the right having a radius of 150.0 feet, a total arc distance of 203.65 feet to a granite road monument set at a point of tangency (a chord along said curve running N 20° 06' 23" W for a distance of 188.36 feet);

THENCE N 18° 47' 11" E along Lots 3, 5, 7, & 9 a total distance of 301.40 feet to a granite road monument set at land now or formerly of Antoinette Mercadante as described in Book 1943, Page 33;

THENCE N 66° 47' 00" W along said land a distance of 50.15 feet to a survey pin set at a corner of Lot 8 on said plan;

THENCE S 18° 47' 11" W along Lot 8 a distance of 52.92 feet to a survey pin set;

MAPLE STREET

Begins on the North side of Academy Street 18 R. $12\frac{1}{2}$ L. Westerly from High Street at a stone M. and runs N. $9^{\circ} 17'$ E. 21 R. 20 L. to a hole in ledge at the South side of Chestnut Street, and the same course 7 R. 4 L. more to the South Bosworth Line.

Said Street to be 36 feet wide on the West side of the above line.

Book A
Page 521

MARCIA STREET

Beginning on the South side of Beacon Street at the North east corner of Land of John T. Rose and land owned by John DeWolf to Edward Street, the said Street to be the West line of the Street. The Street to be two rods wide.

Vol. 4
Page 325
Aug. 5/68

MARCIA STREET EXTENSION

Beginning at the South west corner of land of Jose Norton and Beacon Street, thence westerly on said Beacon Street forty feet to a stake, thence northerly parallel with said Norton Land to the Clapp lot, so called, thence easterly by said Clapp lot forty feet to said Norton's land, thence southerly by said Norton's land to first mentioned bounds, being on a straight line with the east side of Marcia Street.

Vol. 6
Page 248
June 7/76

MARSHALL STREET

Begins at a Stone M. on the East line of High Street and runs N. $85^{\circ} 40'$ E. 23 R. 13 L. to a stone M.; then (angle $11^{\circ} 50'$) S. $82\frac{1}{2}^{\circ}$ E. 22 R. 19 L. to a stone M. at the West side of Washington Street.

Said Street to be $2\frac{1}{2}$ rods wide on the south side of the above line.

Book A
Page 520

MARSHALL STREET NEW LOCATION

Beginning at a stone monument on the West side of Washington Street and the North side of the present location of Marshall Street thence N. 82 West 22 rods and 19 links to a stone monument and the same course $24\frac{1}{2}$ rods further to the East line of High Street at a point five rods northerly of the present location--Said Street to be two and a half rods wide on the south side of the above described straight line.

Vol. 6
Page 361-2
June 15/77

The new location passes over land of Robert Coddaro who claims no damages therefor, it being understood that so much of the old location as falls without the new shall be discontinued when the new location shall have been finished and perfected in accordance with the statute.

MARSHALL AVENUE

Beginning at a point on the northerly line of Marshall Street, said point being $66\frac{2}{3}$ feet westerly from a stone bound marking an angle in the northerly line of said Marshall Street. Thence north seventeen degrees east 216 and $16/100$ feet to a point, thence same course 257 and $8/10$ feet to a point and land of Augustus Palmer, said Street to be (40) forty feet in width and lying on the westerly side of the above described line. The Avenue throughout its entire length laying over land reserved for a proposed street.

Vol. 14
Page 339
June 1909

MIDDLE STREET EXTENDED

Beginning at the North West Corner of Middle Street and running Northerly to the land of the Kennebec and Portland Railroad Company to a Stone Monument. Said Road to be forty feet wide on the easterly side of the above line and course.

Book B
Page 272

MIDDLE STREET RELOCATION

Commencing four feet west from the northwest corner of Middle Street and York Streets, thence running in a straight line to a monument seventeen feet north from north east corner of house of Francis Lightbody--Said Street to be forty feet wide east from said line.

Sept. 2 , 1874

Vol. 6
Page 84

MIDDLE STREET FROM ROBINSON TO LEMONT

Beginning at a point in the assumed southerly line of Robinson street, said point being about on station 19 X 95 of survey base line, said survey base line being the center line of a forty (40) foot right of way. From said point station 19 X 95 the survey base line extends S 21° 13' W. about four hundred and five (405') to a point, thence S 25° 00' W. about four hundred and seventy-one (471) feet to a point in the assumed northerly right of way line of Lemont Street.

Vol. 20
Page 532
Dec. 1, 1936

For further description of the above, reference is made to a plan entitled "Plan Showing Location of Boundary Lines of Middle Street between Robinson St., and Lemont St., City of Bath, Maine." and dated Nov. 1936. A copy of said plan to be on file in the office of the City Clerk of Bath.

No damages claimed and none allowed.

MILAN STREET

Beginning at a bolt in a Stone on the West line of Washington Street, thence North 89° West seven rods and thirteen feet to a stone in the earth at the corner of Buker's land; thence North 82° 30' West twenty two rods nine feet and eight inches to a stone in the ground with a small hole in said stone.

Vol. 3
Page 84

Said Street to be thirty five feet wide on the southerly side of said line.

Established Feb. 14th, 1860
E. Upton Coty, Clerk.

MITCHELL'S LANE (SO-CALLED)

That so much of the existing passage way in its entire width, as lies between the property of the Terrey Keller Bushing Works on the northerly and southerly bounds, and starting from the east line of Commercial Street at its intersection with the said Terrey property and extending westerly a distance of approximately 150 feet to the intersecting west line of said Terrey property.

Vol. 18
Page 291
Dec. 2, 1925

No damages being claimed or allowed.

MEADOW STREET

"Beginning at a point on the south line of Richardson Street; which point is One Hundred Fifty-Eight and Forty-two Hundredths (158.42) feet west from the westerly line of West Street, and thence running south twenty-nine (29) degrees west Two Hundred Seventeen (217) feet to the north line of property formerly the Hyde Estate.

Vol. 23
Pages 349-350
January 5th,
1949

The above described line to be the easterly line of said way or street; said way or street to be thirty (30) feet in width."





NICHOLS STREET

Beginning at an iron pipe driven into the ground in or near the Westerly line of High Street standing 49.65 feet distant scutherly from the southeast corner of house numbered 484 High Street also 28.00 feet northerly from the northeast corner of the dwelling house owned by John W. Smith; thence running N. 78 degrees and 15 Minutes W., over land of Daniel E. McNeal and land reserved and used as a street or way 217.95 feet to an iron pipe driven into the ground on the westerly range of the dwelling house of Philas Tardif and standing 7.1 feet southerly from the southwest corner of the said house; Thence running N. 78 degrees and 37 minutes W. passing over land reserved and used as a street, land of Philas Tardif & John and Louisa Allen 275.60 feet to an iron pipe driven into the ground on the westerly range of the dwelling house of John & Louisa Allen, said pipe being 18.00 scutherly from the southwest corner of the said house; Thence same course to the East Line of land of the Hyde Estate. The described line to form the Northerly line of a street to be twenty-five feet in width and laying over land of Daniel E. McNeal, John W. Smith, Philas Tardif, John & Louisa Allen, Peter Allen, and land formerly reserved and used as a street and to be known as Nichols Street.

City Records
Book 19
Page 506
Jan. 6, 1932

NORTH STREET

Begins at the South side of a Stone Marked N. on the West line of Front Street--thence N. 86° W. 18 Rods 13 1/2 L. to the outside of the lower rail of William V. Moses's iron fence at the fourth pole from the third post from the West end.--Then (Angle 2° 40') N. 83° 15' W. 9 R. 10 1/2 L. to a Stone M. at the West side of Washington St., 6 Links south of Center of Elm Tree. Then (Angle 1° 57' (N. 81° 20' W. 60 R. 19 L. to a stone M. at the East line of High Street--said Street to be 40 feet wide on the south side of the above line, and the South line from Front Street is continued to Washington Street, passing one foot North of the N.W. Corner of Store lately owned by Jeremiah Cotton.

Book A
Page 511

North Street then begins at a stone M. on the West side of High Street and runs N. 86° 40' W. 106 R. 24 L. to a Stone M. on the East side of Maple Grove Cemetery Avenue, and same course 17 R. 20 L. to a hole in the ledge on the west line of Old Town Common--Said Street to be four rods wide on the South side of the above line.

NORTH STREET EXTENSION

Beginning at a point in or near the Westerly side line of Lincoln Street and running north 78 degrees and 48 minutes West 193.15 feet to a point; thence north 83 degrees 17 minutes West 1206.10 feet to a point; thence South 84 degrees and 53 minutes West 98.50 feet to a point nearly opposite to the residence of C. A. Fox. Thence South 75 degrees and 57 minutes west 125.35 feet to a point. Thence South 51 degrees and 42 minutes West 126.10 feet to a point. Thence South 38 degrees and 50 minutes West 235.10 feet to a point.

Vol. 16
Page 350
Feb. 7, 1917

Thence South 66 degrees and 20 minutes West 33.35 feet to a point, thence North 85 degrees and 30 minutes west 380.0 feet to the center of the Mill Pond Stream (so called) and to the land of H.T. Wing.

The above described line to form the center line of a street or way to be 33 feet in width and following nearly the line of the road as now travelled.

NORTH STREET COURT

Starting at a spike on a 36" Elm located on the northerly side of North Street, which point is 36.33 feet easterly from an iron pin in the northerly line of North Street, which pin is the south-westerly boundary line of property of Clara Howe, which point of beginning is also 92.42 feet westerly from another pin located in the northerly line of North Street; thence, running south 30° 30' east along the northerly line of North Street, thence, deflecting 90° 0' to the left running north 90° 30' east for 449.1 feet to a point of tangency; thence, deflecting left 250° 57' through an arc 131.4 feet on a radius of 30 feet to a point of reversed curvature; thence deflecting right 70° 57' through an arc of 12.4 feet on a radius of 10.0 feet to a point of tangency; thence, running south 9° 30' west for 411.1 feet to the point of beginning on a line parallel to and 33 feet westerly from the aforementioned 449.1 feet dimension. Said street to be 33'±0" wide.

North Street
Court
Book 24,
Page 375
(7/7/54)

OAK STREET

Said street to be 40 ft. wide from High Street to Washington Street,

Begins on the West side of Front St., and runs N. 87° W. passing two feet southerly of the S.E. Corner of brick basement to William Starbird's House, 25 R. 12 L. to a stone M. at the West side of Washington Street.

Then (Angle 4° 22') N. 82° 40' W. 44 R. 3 Links to a bolt on the East side of High Street to Washington Street, and 75 feet wide from Washington Street to Front Street on the South side of the above line.

Beck A.
Page 516

OAK STREET (CONTINUED WEST ~~to Oak Street~~)

Beginning at a bolt in ledge on the West line of High Street, seven feet two inches northerly from the point where the north line of Oak Street, from Washington to High Streets would if continued, strike said West line-- thence North 75 degrees 45 minutes West (by compass) at an angle with the west line of High Street from Oak to Winter Streets of 82 degrees 23 minutes, 118 feet 6 inches to a stone monument at the South west corner of Jacob Smith's land, thence at an angle with the last mentioned line continued of 4 degrees 53 minutes, North 80 degrees 45 minutes West 119 feet 3 inches to a monument at the south west corner of land of Mrs Mindwals Cocmbs--Thence a set off North five feet at an angle with last line continued of 80 degrees 52 minutes--thence north 85 degrees west, at an angle with the second line continued of 4 degrees 10 minutes to a stone monument on the East line of Lincoln Street, Said street to be forty feet wide from High Street to the five feet set off above mentioned and fifty feet wide from thence to Lincoln Street on the southerly side of the above described lines.

Beck B.
Page 477

OAK GROVE AVENUE

Name given Aug. 4th, 1875

Beginning on the North side of North Street at a point where the East line of Lincoln Street could strike if extended and running north four and one half degrees east across the City land and land of William D. Sewall to a point two and one half rods east of a tall pine tree on the dividing line between land lately belonging to George Jewett and land formerly owned by Charles Sewall, now owned by the City of Bath and the same course about one hundred and fifty rods further to a point on the South side of Whiskeag Street passing two and one half rods easterly from a stone monument which makes the second angle of the said Whiskeag Street from the Bridge--The Said Street to be fifty feet wide on the Westerly side of the above line.

November 5th, 1874.

Vol. 6
Page 102

OAK GROVE AVENUE

Beginning eight and three quarter feet westerly from the Center of a tall pine tree on the South line of Jonas Hagan land, thence running N. 5½° E. seventeen rods and thirteen links, thence, N. 24° E. nineteen rods thence N. 13½° E. fifty five rods and eleven links; thence N. 3½° E. twenty five rods and sixteen links; thence N. 2¼° W. thirty five rods, twenty one links to the south line of Whiskeag St., at a point one hundred feet easterly from a monument designating an angle in said street, passing over land of Jonas Hagan and John A. Emery. Said street to be fifty feet wide on the Easterly side of the above line.

Vol. 6
Page 279
Nov. 1, 76

Take land from City Farm continuous to the South end of Oak Grove Avenue sufficient to round the South east & South West corner of said avenue.

Vol. 6
Page 365
June 29, 1877

PARK STREET

Beginning upon the Southerly side of Winship Street at the northwesterly corner of the store lot of Charles J. Dain, thence running about N. 79 degrees W. about 684 feet to the easterly side of Harvey Street and same course forty nine and one half feet across said Harvey Street to the Westerly side of the same and same course about three hundred eighty one feet to a point upon the easterly line of High Street about thirty three feet northerly from a stone monument marking an angle in High Street. Said street to be three rods wide upon the northerly side of the above described line as shown upon plan of Washington Park.

Vcl.17
Page 63
April 2, 1913

PEARL STREET

Begins at a stone M. on the West side of Front Street and runs South 89° W. to a stone M. on the East side of Washington Street-- to be 35 feet wide on the south side of the above line.

Then begins at the West line of Washington Street at a stone M and runs N. $87\frac{1}{2}^{\circ}$ W. 48 R. 21 L. to a stone M. on the East side of Middle Street. Said Street to be 30 feet wide on the South side of the above line--excepting the above mentioned.

Book A
Page 515

PINE STREET

Begins at a Stone M. on the East side of High Street, and runs S. $84^{\circ} 5'$ E. 30 R. 13 L. to a stone M.--then (Angle 5°) S. $89^{\circ} 5'$ E. 33 R. 8 L. to a stone M. on Washington Street passing a stone M. on the East line of Middle Street which is 6 R. 20 L. from the angle in Pine Street.

Said Street to be $2\frac{1}{2}$ Rods wide on the south side of the above line. Then begins at the stone M. on High Street nearest to Pine St. on the South and with a course to the right of 14 feet 3 inches radius, meets the south line of Pine Street, as above described, which line is Tangent to the course.

Said Street to include all between said course and the straight lines of High and Pine Streets.

Book A
Page 520

ADDITION TO SPRING STREET AND
PLEASANT AVENUE SOUTH.

Beginning at the westerly terminus of the layout of Spring Street as laid out and accepted by the City, Oct 7th, 1907 (City Records Book 13, Page 95) at an iron pipe driven into the ground on the Southerly line of said Spring Street standing 9.21 feet distant northerly from the northeast corner of house numbered 50 Spring Street, also 22.95 feet distant Easterly from the Northwest corner of said house, thence running North 81 degrees West 120.90 feet to an iron pipe driven into the ground on land of Peter E. Lebel and standing 76.85 feet distant southerly from the southeast corner of the dwelling house of said Lebel; Thence turning and running North 24 degrees and 50 minutes east 238.65 feet to an iron pipe driven into the ground in or near the Southerly line of Pleasant Avenue at a point standing 45.05 feet distant Southerly from the Southwest corner of the dwelling house of L. Pean No. 4 Pleasant Avenue also 76.00 feet distant westerly from the Northwest corner of the residence of S. W. Orrs.

Book 19
Page 456
Aug. 5, 1931

The described line to form the Southerly and Westerly line of a street to be thirty-three (33.00) feet in width and to lay over land reserved for this purpose, land of Peter E. Lebel, Alice M. Blake and S. W. Orrs.

That portion adjoining the first described line to be known as Spring Street. That portion adjoining the last described line to be known as Pleasant Avenue (South).

Recorded in Book 19.





QUIMBY STREET

Description of a proposed street extending from Court Street Scutherly and Easterly to Elsinore Avenue.

Beginning at a point in or near the scutherly line of Court St., at its intersection with the Easterly line of Leonard's Court so-called thence with the easterly line of Leonard's Court South 7 degrees and 22 minutes West 241.00 feet to a point standing 6.65 feet distant northerly from an iron bolt driven into the ground marking the south-westerly corner of house lot owned by F. W. Quimby. Thence South 84 degrees and 30 minutes East 119.00 feet to a point standing 6.65 feet distant Northerly from an iron bolt driven into the ground marking the southeasterly corner of house lot owned by F. W. Quimby. Thence South 82 degrees and 53 minutes east about 101.70 feet to the northerly line of Elsinore Avenue.

Said Street to extend 33 feet in width and laying on the Westerly and Scutherly side of the above described line and passing over land reserved for the purpose. Land of F. W. Quimby, William H. Eurnham and the Elsinore Real Estate Co.,

Vol. 16
Page 285
Sept. 6, 1916

QUINNAM STREET

Begins at the N.E. corner of Summerset Street and runs S. 16° 50' W. (at an angle with Summerset Street of 75°) 10° 18' L. to a stone M. opposite the S. E. Corner of Benjamin Quinnam's land and passes 70 feet Easterly from the center of a Red Oak Tree near the S.E. Corner of William F. Rigg's land-- Said street to be 30 feet wide on the Westerly side of the above line.

Peck A.
Page 514





RICHARDSON STREET

Beginning on the West line of High Street forty eight feet southerly on that line from the South line of South Street continued--thence North 85 degrees West or thereabouts by land of John Richardson, Dickenson and James Pattee, across a contemplated Street, leading North-erly 28 Rods 10 Links to a Stone Monument.

Book B.
Page 242

Said Street to be two rods wide on the Southerly side of the above line.

RICHARDSON STREET EXTENSION

Commencing at the North West corner bound of Richardson Street as formerly laid out, and running westerly the same course by land of Charles Neville, Mr. McQuarrie and of James J. Tarr to said Tarr's West line.

Vol. 3
Page 551

July 5th, 1855

See Order of
5/1/67.

RICHARDSON STREET

Extension commencing at Plum Lane and running West 600 feet more or less through to Western Avenue.

Page 91
July 1, 1891

RIDGE ROAD RELOCATED.

Beginning at a point in or near the northerly line of the Brunswick Road, said point being 89.90 feet distant and bearing South 83 degrees and 27 minutes East from the center of a granite monument standing in the easterly side line of the West Bath Road, and running, thence North 17 degrees and 17 minutes east 543.00 feet to a point, thence North 5 degrees and 00 minutes east 1204.60 feet to a point, thence North 14 degrees and 21 minutes East 292.65 feet to a point, thence North 42 degrees and 35 minutes east 328.35 feet to a point, thence North 35 degrees and 48 minutes east 221.75 feet to a point, thence North 20 degrees and 17 minutes East 258.00 feet to a point, thence North 24 degrees and 25 minutes East 475.25 feet to a point, thence North 21 degrees and 23 minutes east, 266.00 to a point, thence North 6 degrees and 07 minutes East, 495.40 feet to a center of traveled way of road leading to Brunswick.

Vol. 15
Pages 298-99
300
Feb. 5, 1913

Thence North 6 degrees and 07 minutes East 110.60 feet to a point.
Thence North 23 degrees and 41 minutes East 247.30 feet to a point.

Thence North 25 degrees and 19 minutes East 142.50 feet to a point. Thence North 36 degrees and 31 minutes East 348.50 feet to a point. Thence North 22 degrees and 44 minutes east 409.50 feet to a point. Thence North 37 degrees and 36 minutes East 502.00 feet to a point, in the range of the southerly line of a timber lot now owned by the Seavey Brothers; thence North 37 degrees and 36 minutes East 7.60 feet to a point. Thence North 33 degrees and 42 minutes East 221 feet to a point. Thence North 25 degrees and 11 minutes East 118.05 feet to a point. Thence North 43 degrees and 04 minutes East 201.10 feet to a point in the northerly range of the said Seavey Lot. Thence North 64 degrees and 54 minutes East 105.50 feet to a point. Thence North 46 degrees and 20 minutes East 296.40 feet to a point. Thence North 35 degrees and 53 minutes East 469.30 feet to a point. Thence North 1 degree and 17 minutes West 145.70 feet to a point. Thence North 11 degrees and 23 minutes East 97.85 feet to a point. Thence North 34 degrees and 53 minutes East 253.95 feet to a point. Thence North 42 degrees and 30 minutes East 1048.15 feet to a point. Thence North 32 degrees and 15 minutes East 43.00 feet to the center of the old Canal.
Thence North 32 degrees and 15 minutes East 298.45 feet to a point.
Thence North 38 degrees and 33 minutes East 650.85 feet to a point.

ROBBINS STREET SO-CALLED *see pg 108

Beginning on the West side of Middle Street at the North East corner of land belonging to John C. Stevens two feet and five inches North of a Maple Tree — Then ce running Westerly to High Street to a bolt in a rock—Said street to be two rods wide on the north side of said lines and courses.
Part of said Street discontinued.

Vol.6
Page 469
Feb.5,1879

Vol. 7
Page 240
July 6,1881

ROSE STREET

Beginning at a point on the Westerly side line of Washington Street, thence running Northerly and Westerly by a curve radius of which is 10.00 feet, 17.57 feet over land of James W. Cameron to a point standing 14.48 feet distant Northerly from the block foundation of the house recently built by J. W. Cameron, also 1.82 feet distant easterly from the easterly range of said house; thence running North 76 degrees west and passing through a point standing 7.00 feet distant northerly from the south east t corner of Veran der of the said Cameron house, 343.45 feet, over land of said James W. Cameron and A. L. Plant to an iron pipe standing at the North West corner of said Plant house lot; thence same course north 76 degrees West 17.00 feet to a drill hole in ledge standing 32.05 feet distant from the northwesterly corner of dwelling house numbered 28 Rose Street.

Vol.17
Page 157-58
Dec.1919

Thence deflecting Southerly 5 degrees and 26 minutes and running North 81 degrees and 26 minutes West, 459.95 feet over land of Edward M. Robbins and Charles E. Bliss to a point standing 61.25 feet distant northerly from the northwest corner of concrete foundation to house numbered 331 High Street, also 6.02 feet distant easterly from a stone monument which marks an angle in the Easterly side line of High Street; thence westerly and scutherly by a curve radius of which is 10.00 feet 10.45 feet to a point on the easterly line of High Street, and passing over land of said Charles E. Bliss.

The above described lines to form the Southerly side line. The northerly side line being described as follows:

Beginning at a point on the Westerly side line of Washington Street, thence running southerly and westerly by a curve radius of which is 10.00 feet, 13.84 feet, over land of James W. Cameron to a point, thence running parallel to and 33 feet distant from, (Measuring at right angles) the second line in the above described. Southerly side line North, 76 degrees west 372.12 feet passing over land of said James W. Cameron and Charles E. Bliss, to a point.

Thence running parallel to and 33 feet distant from the third line in the above described southerly line North 81 degrees and 26 minutes west 446.39 feet passing over the Northwest corner of the stone monument standing on the westerly line of Cherry Street and passing over land of said Charles E. Bliss, Charles H. Cressey and Geo. F. Allen to a point. Thence running westerly and northerly by a curve radius of which is 10.00 feet, 18.12 feet over land of said Geo. F. Allen to a point on the easterly side line of High Street.

Stone Monuments or bounds to be placed at all angles and points of curve in the above described layout.

REDLON ROAD

Beginning on the Southerly side of Western Avenue at a point 14.95' from the N.E. corner of land of J. M. McKenna, thence South 30°30' West following the approximate center of the existing road 187.40' to the P.C. of a 12°00' curve.

Delta = 11°52'40" Lt
D = 12°00'00"
R = 477.47'
T = 49.67'

Thence following said 12°00' curve 99.95' to the P.T. of said curve, thence South 18°37'20" West 214.15' to the P.C. of a compound curve.

Delta = 67°51'20" Rt
1 = 56°02'20"
2 = 11°49'00"
D₁ = 108°54'23"
D₂ = 7°23'36"
R₁ = 52.61'
R₂ = 774.96'

Thence following said curve 210.68' to the P.T. of said curve, thence South 86°28'40" West 138.82' to the westerly boundary of land of Redlon.

The above description being the center line of the proposed street, and at the junction of Western Avenue to be bounded on the West by land of J. M. McKenna and on the East by land of Johansen, to be thirty feet wide from the southerly boundaries of land of McKenna & Johansen to the westerly boundary of land of Redlon.

Robins Street Contd

The Board Planning Committee on 20th March 1979 was advised the petition of Mr. Harold Green to close Robins Street has called for investigation some attention should study would have to report - Planning Dept. written according to the same stage before concluding we have this day 16th 1979/1980 on the previous planning date Mr. Green's petitioning their request unreasonable from the road & whether a street as follows - beginning on the west side of Grange Street at the North side corner of land belonging to John G. Stevens two feet & four inches wide of a single line - there remaining available to High Street to a full in a work - dated street to do five rods wide on the south side of said line and curves - from drainage channels or allowed - all of which is respectfully submitted

J. G. Stevens
 Mr. Green
 Mr. Green
 John Stevens
 John Stevens

19/11/79

Stevens

2/5/79

SHEPHARD STREET

Begins at a Stone M. on the West side of Washington Street, and runs N. $76\frac{1}{2}^{\circ}$ W. 28 R. 20 L. to a stone M. on the East side of Middle Street.-- Note:--The North lines of Lord and Shephard Streets intersect at the West side of Washington Street at an angle of $1^{\circ} 50'$ from a straight line--Said Street to be two rods on the south side of the above line.

Book A
Page 519

SHAW STREET

Beginning 200 feet northerly from a iron bolt at the corner of Pine and Middle Streets, thence running S. 84° E. 454.4 feet to a stake on the westerly line of Washington Street 186 feet northerly from the north side of Pine Street. Said street to be 26 feet wide on the northerly side of the above described line.

Vol. 10
May 6, 1881
Page 48

SCHOOL STREET

Begins at a Stone M. on the West side of Washington Street, and runs S. $84\frac{3}{4}^{\circ}$ W. 26 R. 4 L. to a stone M. on the East line of Middle Street. Said street to be two rods wide on the south side of the above line.

Book A
Page 518

SOUTH STREET

Begins at a stone M. on the East side of High Street; thence S. $76^{\circ} 25'$ E. 34 rods 20 L. to a stone M. on the east side of Middle Street; then same course 31 rods 21 links to the S. W. corner of the Couilliard House on the east line of Washington Street; then same course 14 rods, 13 links to a hole in ledge on the west line of Front (Water) Street--to be $2\frac{1}{2}$ rods wide on the south side of the above line.

Book A
Page 510

SNOW PARK

Beginning upon the northerly line of Center Street at a point fifty one feet easterly from the land of Charles E. Curtis, thence running north thirteen degrees east one hundred and sixty nine feet thence deflecting six degrees fifteen minutes and running north six degrees and forty-five minutes east three hundred and eighty feet to the south line of Academy Street. Said street to be thirty three feet wide upon the easterly side of the above described line.

Vol. 16
Page 3 1 2
Nov. 1, 1916

SPRING STREET

Beginning on the West side of Washington Street at a point, three feet ten inches southerly from the south east corner of the old Foundry building, thence north eighty-seven and one half degrees west by compass to a stake on the west side of Middle Street, passing the South West corner of the under pinning of the Iron Fence in front of Willard Hall's House, and continuing the course north eighty-seven and one half degrees west by compass to High Street., to a point forty feet northerly of the south west corner of the Waldron heirs land, said Street to be forty feet wide on the south of the above line and course, and running over Jewell's Lane so-called, and land of Waldron's heirs and others.

Book A
Page 487

Thence North 35 degrees East 16 Rods 21 Links to stake two rods west of wall on East side of Road--thence North $31\frac{1}{4}$ degrees east 35 R. and 5 L. to stake., thence North $23\frac{1}{4}$ degrees east 8 R. 15 Links to North side of Bennett's wall--thence North $21\frac{1}{4}$ East 15 rods 20 links to stake--thence north 25 East 66 Rods 20 links to North line of McCutchin's land--thence North 17 East 18 rods to stake and stone--thence North 4 East 9 Rods to stake & Stones--thence North 15 East 21 Rods 13 links to stake and stones at the north line of said Town and two rods west of the wall on East side of said road--Said road to be two rods wide on the Northerly and Easterly side of said line and courses. And we have awarded damages by reason thereof as follows to Thomas Oliver \$25.00 to Luther Stover \$8.00 to Martin Bates \$18.00 and we do not consider that any other persons are injured in their property by reason of said location: all if which is respectfully submitted.

West Bath, July 26, 1852

Alden Winter
Heuben S. Hunt

Selectmen of
West Bath

A true copy of the report of the Selectmen of West Bath Oct. 8th. 1852.

Attest: Annie K. Mitchell, City Clerk of Bath.

To Bath Rd.
STREET FROM BRUNSWICK ROAD TO WHISKEAG

Beginning on the north erly side of the Brunswick Road at the northwest corner of Henry N. Lecomte's land, running north eleven degrees east (magnetic) one hundred and sixty four rods and six links to a point two and one half rods east of the center of a tall pine tree on the line between land of J. & C. Sewall's land of George Jewett, thence north four degrees and twenty five minutes east one hundred and fifty three rods and nineteen links to Whiskeag Street passing two and one half rods easterly from the stone monument which makes the second angle of said whiskeag street from the bridge, the said street to be two and one half rods wide on the westerly side of the above line.

Vol. 4
Page 255
Feb. 5, 1868

SUMMERSET STREET

Begins at a stone on the East line of Washington Street and runs S. $88^{\circ} 20'$ E. 13 R. 7 L. to a bolt in the ledge, passing 30 feet northerly of a hole in ledge at the N. W. corner of William F. Rigg's land, --said street to be 30 feet wide on the south side of the above line.

Book A
Page 516

SUMMER STREET

Begins on the west side of Front Street 10 feet 10 inches northerly from the N.E. corner of the Kennebec House and runs S. $87\frac{1}{2}^{\circ}$ W. 28 R. 14 L. passing two rods woutherly from a hole in ledge, at the N. W. corner of the lot on which stands the old Post Office Building to the East line of Washington Street, in range of hole in ledge near the N.W. Corner of R. R. Smith's lot, which hole is $4\frac{1}{2}$ (four and one half) feet west of the East line of Washington Street.

Book A
Page 516

Said street to be 2 rods wide on the north side of the above line.

SPRUCE STREET

(Originally part of Tarbox Street Extension)

Starting at a point on the south side of Tarbox Street Extension, said point being on the North-West corner of Lot #7 on the Corliss Plan and 55'-4" North-east of the North-east corner of the brick foundation of James Noel's House; thence running South 16 West at an angle of $109^{\circ} 55'$ with the south line of said Tarbox Street Extension a distance of 109 feet to a drillhole in the ledge; thence South $25^{\circ} 30'$ West deflection angle right $9^{\circ} 30'$ for a distance of 50 feet 6 inches to a drillhole in a boulder; thence South 67° West deflection angle right $40^{\circ} 30'$ a distance of 90 feet 4 inches to a drillhole in a ledge located 38 feet 8 inches North of the North-West corner of Eugene Dauphin's house; thence South $62^{\circ} 30'$ West Deflection angle left $4^{\circ} 10'$ a distance of 64 feet 8 inches to an iron bolt on the west line of said Dauphin's lot, said bolt being 58 feet West of the North-west corner of said Dauphin's house; thence South $17^{\circ} 30'$ west deflection angle left 45° a distance of 130 feet, said

Vol. 23
Page 166
10/1/47

SCHOONER LANE

Accepted
7/19/1978

See Plan on file in Street Drawer (Clerk's Office)

TALLMAN STREET

Beginning at a stake driven into the ground at the northerly terminus of the westerly side line of Bailey Street and running thence northerly with the westerly side line of said Bailey Street 40 feet to an iron pipe driven into the ground, said iron pipe standing 18.70 feet southerly from the southwest corner of Oliver Carter's dwelling house and 24.56 feet from the south east corner of said Carter's house, thence deflecting to the right 89 degrees and 34 Minutes and running South 83½ degrees East 265.10 feet to an iron bolt driven into the ground in the easterly side line of Fitts Street (so-called) and passing 13.2 feet southerly from the South East corner of house numbered 19, also 40 feet northerly from an iron bolt standing at the junction of the westerly side line of Fitts Street with a line of iron fence posts. Thence southerly with the easterly line of Fitts Street about 40 feet. The second described line to form the northerly boundary of the location and the street to be 40 feet in width and extending from the extension of the westerly side line of Bailey Street to the easterly line of Fitts Street.

Vol. 15
Page 417
Dec. 3rd. 1913

TARBOX STREET EXTENSION

Beginning at a point on or near the westerly side line of High Street and running thence north 84 degrees and 50 minutes west, a distance of 217.28 feet to a point is the south easterly corner of land now owned by L. Pinkham. Said line if produced easterly to the easterly side line of High Street and measurements taken along same will be 86.0 feet from the north east corner of a stone monument on the north side of Pine Street and will also pass 27.9 southerly from the south east corner board of house owned by John Miller, also 35.5 feet northerly from the north east corner board of house owned by C. A. Oliver, also 7.5 feet southerly from south east corner board of house owned by Freeman Murray. Said line makes an angle with the easterly side line of said Pinkham's lot of 86 degrees and 45 minutes.

Vol. 14
Page 380
Oct. 6, 1909

Said above described line to be the northerly side of a 33 foot street over land reserved for this purpose.

EXTENSION OF TARBOX STREET

Beginning at a point on the southerly line of Tarbox Street, at the northwest corner of house lot now or formerly owned by W. H. Sanford, said point of beginning being 70.00 feet westerly from the west line of High Street as indicated on a plan by Charles A. Corliss dated 1891.

Thence running south 4 degrees and 30 minutes west with the west line of said Sanford lot 137.41 feet to a drill hole in ledge at the northwest corner of lot numbered 1. Thence with the westerly line of lot numbered 1, South 47 degrees and 40 minutes West 71.30 feet to a point at the northwest corner of lot numbered 7.

Thence South 85 degrees and 2 Minutes West crossing a proposed street and with the northerly line of lot numbered 8, 112.93 feet to an iron set into the ledge at the northwest corner of lot No. 8, Thence South 75 degrees and 4 minutes West 69.96 feet to a drill hole in ledge.

The layout to this point follows, the lines as indicated on the Corliss plan as above referred to.

Thence running north 86 degrees and 14 minutes West, passing 27.19 feet distant northerly from the northwest corner of house numbered 16, 220.00 feet to a point near the foot of the hill.

The above described line to form the easterly and southerly line of a street to be 33 feet in width and the westerly line is to be extended northerly to intersect the southerly line of Tarbox St., as previously laid out.

Vol. 17
Page 257
Aug. 11, 1920

UNION STREET

Begins at a stone M. at the West side of Water Street, and runs N. $85^{\circ} 40'$ W. 14 R. 10 L. to a stone M. on the West side of Washington Street—then (Angle 1°) S. $86^{\circ} 40'$ W. 28 R. 22 L. to a stone M. at the east side of Middle Street.

Book A
Page 519

Said street to be two rods wide on the South side of the above line.

UNION STREET

Commencing on the West side of Middle Street at a stake standing two feet South of the North East corner of Mary Stearn's land, thence Westerly to the North West corner of land of Charles Chadbourne on High Street, The said line and course to be the South line of said Street; The Street to be thirty three feet wide.

Vol . 5
Oct.1, 1873
See also
June 6, 1866

UNION STREET COURT

Beginning at a point in the northerly line of Union Street, which point is 87.0 feet easterly from the northeast corner of the intersection of Union Street and Old South Place, and is the southwest corner of the street herein described; thence, running south $80^{\circ} 40'$ east for 25.06 feet along the northerly line of Union Street to a point; then e, deflecting left $86^{\circ} 5'$ and running north $13^{\circ} 15'$ east for 151.1 feet to a point of tangency; thence, deflecting to the left $255^{\circ} 32'$ on a radius of 20 feet through an arc of 89.2 feet to a point of intersection; thence, deflecting $75^{\circ} 32'$ right and running south $13^{\circ} 15'$ west for 133.5 feet to the point of beginning. The street described is 25 feet in width with a turn-around of 20 feet radius at the northern extremity.

Union Street
Court
Book 24,
Page 375
(7/7/54)

UNION STREET

Discontinuance of portion of Union Street west of Washington Street to Water Street. ^{east}

Union Street
Discontinue
portion of
6/21/60

VINE STREET

Begins at the N.W. corner of King's Yellow Store , and runs N. 76° 50' W. 15 R. 10 L. to a cut on the South side of Red Oak Tree, on the east line of Front Street—then (Angle 2° 40') S. 74° 35' ". 37 R. 20 L. to a stone M. at the East line of Washington Street.

Said Street to be two rods wide on the south side of the above line.

Book A.
Page 518

PORTION OF VINE STREET DISCONTINUED

See plan on file in Street Drawer in City Clerk's Office

8/3/83

WALKER STREET

Begins at a hole in ledge on the East line of "igh Street, and runs S. $75^{\circ} 50'$ E. 24 Rods 6 L. to a stone M. at the east side of Middle Street, said street to be 2 rods wide on the south side of the above line.

Book A.
Page 517

WASHINGTON STREET

From South side of Marshall Street N. 13° E. passing a Monument or stone set in the ground marked M. at the North side of Marshall Street 18 (eighteen) rods to a stone M. Then (Angle $7^{\circ} 42'$ (seven forty-two) N. $20^{\circ} 45'$ E. (eighty four rods, seven links) 84 R. 7 L. to a stone on the Trufant South line. Then N. 24° E. 30 R. 5 L. to a drill hole in rock on land of Charles Murphy.

Then N. 10° E. (eighteen rods four links) 18 R. 4 L. to a stone M. on the North side of Pine Street--then N. $11^{\circ} 55'$ E. 27 R. 12 L. to a stone M.--then N. $21^{\circ} 30'$ E. 20 R. 19 L. to the south east corner of the Patent Block Manufactory, known as the old Foundry Building--then N. $8^{\circ} 40'$ E. 36 R. 13 L. to a point opposite to a stone M. at the East side of the street--said street to be three rods wide on the Easterly side of the above line.

Book A.
Page 5 02

Then from the last mentioned Stone M. N. $7^{\circ} 30'$ East 44 R. 17 L. to the South West corner of Moses Coulliard's House.

Then (Angle $5^{\circ} 5'$) N. $12^{\circ} 40'$ E. 84 R. 2 L. by a hole in ledge opposite Methodist Meeting House, and a hole in ledge 4 Rods easterly from the N.E. corner of the Bath Hotel, to a stone M. near the South side of the Rail Road--then (Angle $18^{\circ} 37'$) N. 6° W. 11 R. 9 L. to North side of Vine Street--then (Angle $2^{\circ} 45'$) N. $8^{\circ} 37'$ W. 14 R. 6 L. to a stone M. on the north side of Center Street. Then (Angle $19^{\circ} 28'$) N. $11^{\circ} 15'$ E. 7 R. 15 L. to the West side of the basement of the Pettengill House, which is 3 rods easterly from "crt h stone post of the Central Church gateway--Then N. $15^{\circ} 40'$ E. 18 R. 20 L. to a hole in ledge--then (Angle $5^{\circ} 34'$) N. $10^{\circ} 5'$ E. 11 R. 5 L. to a stone M. at the South side of Elm Street.--then (Angle $4^{\circ} 28'$) N. $14^{\circ} 50'$ E. 11 R. 20 L. to a bolt in the ledge at the "W. Corner of H. B. Web's land--then N. 24° E. 190 rods to a stone M. near Johnson Rideout's Front gate--then N. $14^{\circ} 45'$ 15 R. 24 L. to a stone M. on the South side of Bowery Street, and the same course 14 R. 3 L. to a stone M. six feet West from the N.W. corner of the underpinning to James Cox's House--then N. $17^{\circ} 45'$ E. 7 R. 1 L. to a hole in ledge marked A.--Then (Angle 11°) N. $28^{\circ} 15'$ E. 25 R. $7\frac{1}{2}$ L. to a hole in ledge marked M. near the Northside of Cummings Street--then (angle $2^{\circ} 45'$) N. $25^{\circ} 30'$ E. 31 R. 5 L. to a hole in ledge nearest the M. and same course 2 R. 15 L. to a stone M. near the North side of Bowery Street.--Then North $25^{\circ} 31'$ W. 4 R. 18 L. to a hole in the ledge marked M. in front of Kennison's Store, and same course by a hole in top of ledge and to the left of white Oak Tree 28 R. 14 L. to a stone M. near land of Abner Dunham.--Then (Angle 33°) N. $7^{\circ} 15'$ E. 13 R. 7 L. to a point, to be designated by a bolt in ledge--then (Angle $1^{\circ} 7'$) N. 6° E. 36 rods by a hole in a ledge opposite south side of Winship Street to a hole in ledge marked M.--Then (Angle $1^{\circ} 27'$) N. $4^{\circ} 33'$ E. 9 Rods to a hole in ledge marked M. on land formerly owned by Caleb Lambard. Then N. $14^{\circ} 10'$ E. 37 R. 23 L. to a hole in ledge marked M. near land formerly owned by John Ranks. Then (Angle $6^{\circ} 45'$) N. $7^{\circ} 15'$ E. 45 R. 13 L. to center of White Oak Tree at Mrs. Peterson's. Said street to be three rods wide on the westerly side of the above line from the stone marked M. at land of the late John Henry, to the tree last mentioned. Then from stone marked M. at the North side of Harwood Street (which stone is 77° W. 38' from the center of the tree) N. $19^{\circ} 45'$ E. 40 R. 10 L. to a stone M. near the House of William F. Bruce. Then (Angle $11^{\circ} 36'$) N. $7^{\circ} 45'$ E. 43 Rods 17 L. to a stone M.--then Angle $7^{\circ} 52'$) N. $0^{\circ} 15'$ E. 11 R. to a hole in ledge marked M.--then (Angle $20^{\circ} 27'$) N. $20^{\circ} 45'$ E. 9 R. 23 L. to hole in ledge marked M. Then N. $11^{\circ} 10'$ E. 43 R. 7 L. to center of white Oak Tree on land of Foot's heirs. Then (Angle $20^{\circ} 38'$) N. $31^{\circ} 40'$ E. 13 R. 15 L. to a small Red Oak tree--then (Angle $13^{\circ} 46'$) N. 18° E. 34 R. 13 L. passing $9\frac{1}{2}$ inches east of a hole in a round rock to a stone M. Then (Angle 15°) N. $3^{\circ} 15'$ E. 16 R. 2 L. to a stone M.--then (Angle $2^{\circ} 50'$) N.

WATER STREET
DISCONTINUANCE OF A PORTION

That so much of Water Street in said City in its entire width as lies between a line drawn at a right angle to and starting from the west line of said Water Street as its intersection with the South line of Union Street and extended easterly to the east line of said Water Street on the north, and another line drawn at right angle to the starting from the west line of said Water Street at its intersection with the north line of Lord Street, and extended easterly to the east line of said Water Street on the South; Be and the same is hereby discontinued.

Dec. 19, 1898
Vol. 12
Page 96

WEEKS STREET

Beginning on the West side of Washington Street, eight rods Southerly of the old Trufant line at a stone M., thence North about Eighty seven degrees west, parallel to said old line about fifty rods to High Street over land of B. O. Weeks.

Book B.
Page 127

Said Street to be forty feet wide on the Southerly side of said Monuments and line.

WESTERN AVENUE

Begins on the West side of High Street at the S.E. corner of Jacob Parker Morse's land and runs N. 85° 45' W. 48 R. 4 L. to a hole in ledge—then (angle 7° 40') N. 78° 5' W. 10 Rods 20 L. to a stone M. —Then (Angle 22° 43') S 79° 5' W. 2 R. 16 L. to a hole in ledge marked M.

BOOK 1
Book A
Page 510

Then S. 36° 45' W. (angle 42° 50') 19 R. 11 L. to a hole in ledge—Then (angle 34° 2') S. 70° W. 13 R. 8 L. to a stone M.—Then (Angle 25° 3') N. 84° 3/4' W. 20 Rods to a stone M. in front of Gilbert Standish's House.—Then (Angle 34° 56') N. 49° 45' W. 29 R. 20 L. to a stone M. at the East line of Winslow Street.

12-1-1852

Then (Angle 35° 35') N. 85° W. 71 R. 6 L. to a stone M.—Then (Angle 10° 4') S. 85° W. 16 R. to a stone M.—Then (Angle 13° 55') S. 71° W. 12 R. 6 L. to the middle of the stream which is the dividing line between Bath and West Bath.

Said Street to be forty feet on the Southerly side of the above line—and the South line from High Street is continued by the first and second station until it again strikes the left hand side of the street.

WEST STREET

Beginning on the southerly line of Western Avenue at an iron fence rod at the north westerly corner of the Standish lot, thence running S. 8° 45' West three hundred twenty eight and one half feet (328 1/2) to the north line of Richardson Street, thence running S. 8° West thirty three (33) to the south line of Richardson St., and the same course two hundred five and eight tenths feet (205 8/10) to the north line of Thomas E. Hyde land.

Oct. 3, '94
Vol. 11
Page 136

The above described line to be the Easterly line of the street and the Street to be thirty three feet (33) wide.

METES AND BOUNDS DESCRIPTION
DISCONTINUATION OF A PORTION OF WINSHIP STREET

Beginning at a point on the northerly side of Winship Street which marks the southwesterly corner of premises owned by Paul W. & Elizabeth A. Higgins, acquired by Deed recorded in the Sagadahoc County Registry of Deeds in Book 1168, Page 249, which said point is North Sixty-Eight Degrees, Zero Minutes, Twenty-One Seconds West (N 68° 00' 21" W) a distance of One Hundred Ten and Seventy Hundredths Feet (110.70') from a Six Inch (6") granite monument marking the intersection of the westerly side of Washington Street with the northerly side of Winship Street; thence running along the easterly end of a portion of Winship Street to be discontinued, South Twelve Degrees, Thirty-Three Minutes, Forty Seconds West (S 12° 33' 40" W) a distance of One and Ninety-Nine Hundredths Feet (1.99') to a point; thence running North Seventy-Four Degrees, Thirty Minutes, Thirty-Three Seconds West (N 74° 30' 33" W) a distance of Two Hundred Fifty-Five and Fifty-Seven Hundredths Feet (255.57') to a point which is the intersection of the northerly side of Park Street and the southerly side of Winship Street and which is the easterly most corner of premises conveyed to David A. & Martha M. Bourque, by Deed recorded in the Sagadahoc County Registry of Deeds in Book 559, Page 349; thence running North Fifty-Seven Degrees, Seven Minutes, Twenty-Two Seconds West (N 57° 07' 22" W) along land of Bourque a distance of One Hundred Sixty-Two and Twelve Hundredths Feet (162.12') to a point; thence continuing along said Bourque land North Fourteen Degrees, Thirty-Seven Minutes, Twenty-Two Seconds West (N 14° 37' 22" W) a distance of Fifty-Six and Forty-Three Hundredths Feet (56.43') to a point being the northerly most portion of Winship Street to be discontinued; thence running North Seventy-Five Degrees, Thirty-Four Minutes, Twenty-Five Seconds East (N 75° 34' 25" E) a distance of Forty-Nine and Fifty Hundredths Feet (49.50') across Winship Street to a point on the westerly line of premises acquired by the City of Bath by Deed recorded in the Sagadahoc County Registry of Deeds in Book 1965, Page 164; thence running South Fourteen Degrees, Thirty-Seven Minutes, Twenty-Two Seconds East (S 14° 37' 22" E) along land of the City of Bath a distance of Thirty-Seven and One Hundredths Feet (37.01') to a point; thence continuing along land of the City of Bath South Fifty-Seven Degrees, Seven Minutes, Twenty-Two Seconds East (S 57° 07' 22" E) a distance of Two Hundred Thirty-Six and Sixty-Five Hundredths Feet (236.65') to a point; thence continuing along land of the City of Bath South Sixty-Eight Degrees, Zero Minutes, Twenty-One Seconds East (S 68° 00' 21" E) a distance of One Hundred Fifty-Two and Seventeen Hundredths Feet (152.17') to a point which is the point of beginning.

The above-described premises is a portion of Winship Street which is a Three (3) rod road laid out and accepted by the City of Bath in accordance with City records found in Book A, Page 513. 9-04-02

WINTER STREET

141
Dec. 1, 1852

Begins at a stone M. on the West side of Washington Street, and runs N. 81° 45' W. 4 R. 9½ L. to a point, three inches North of the N.W. corner of J. Bosworth House—then (Angle 6°) N. 87° 25' W. 18 R. 10 L. to the east side of Middle Street, and the same course 19 R. 13 L. to the Stone M. at the east side of High Street.

Book A
Page 516

8 47-1852

Said street to be two rds wide on the North side of the above line.

UPPER WASHINGTON STREET

STATE OF MAINE

SAGadahoc, SS.

COURT OF COUNTY COMMISSIONERS
JULY TERM, 1945.

Pursuant to the foregoing Petition of FRANK ALLEGRIH, ET ETALS, and order of Court thereon, the County Commissioners for the County of Sagadahoc, met the parties at the time and place, and for the purpose designated in said Order; and, it being then and there satisfactorily proved that all the notices named in said order had been legally posted, served and published, and that all the requirements thereof had been fully complied with, the said Commissioners thereupon proceeded with the parties, and viewed the way or street described in said Petition and gave a hearing to the parties and their witnesses in the vicinity of the said way or street, and at the City Hall.

And after a hearing of all of the facts, testimony and arguments presented, and having considered the same, do hereby Adjudge and Determine:

1. That the portion of the way or street described in said Petition beginning at the end of tarred or black pavement, running for a distance as now travelled of seven hundred (700') feet, more or less in a Northerly direction to the North line of the John Howe property, is a legally established way or street within the City of Bath, known as Upper Washington Street.
2. That said City of Bath has not, or did not unreasonably neglect or refuse to keep in repair said street.
3. That said street is not unsafe or inconvenient for travel on foot or by vehicle.
4. That the remaining portion described in said Petition, being that portion from Howe's North line to the Upper landing, so-called, has not been legally established as a part of Upper Washington Street, so-called, within said City.
5. That a certified copy of this adjudication and determination be forwarded by the Clerk of Courts to the City Clerk of said City of Bath for recording in the permanent records of said City, containing a list of the legally established streets within said City.

Given under our hands, this sixth day of November, A. D. 1945.

(Seal)

E. Mason Wright
Fred W. Quinby
J. W. Randlette

County Commissioners
of the
County of Sagadahoc

WILLIAMS STREET DISCONTINUANCE

Book 25
Page 105
(7/3/57)

Beginning on the south side of Vine Street and running in a southerly direction a distance of eighty (80') feet to Railroad Square. Said street is 35 feet in width.

WATER STREET

Discontinuance of portion of Water Street, south of King Street to Union Street, per petition of Bath Iron Works Corporation.

Water Street
Discontinuance
of portion of
Water Street
south of King
to Union Street
6/21/60

WRIGHT DRIVE

Beginning at a point on the West sideline of said High Street N 9°-30' -10" E. 200.07 feet from a stone post on the West sideline of said High Street as shown on said plan herein referred to.

Book 26
Page 83

Thence N 75°-24'-41" W, 231.22 feet between lands now of Cummings and Perry and between land now of Crooker and land being conveyed to the City of Bath, Maine by Bath Iron Works Corporation to a point. (This portion of the public way or street to be forty feet (40') in width).

10/19/62

Thence continuing N 53°-31'-32" W, 118.78 feet. (This portion of the public way or street to be fifty feet (50') in width).

WESTERN AVENUE CONNECTOR ROAD

Beginning at a point on the south side of Western Avenue Extension as shown on plan prepared by Maine State Highway Commission at Station 15+50, thence southwesterly and making an interior angle of 117° 58' 30" with the long cord of a 28° curve between Station 15+50 and 16+60 to Station 1+16.07 of plan of Western Avenue Connector Road so-called a distance of 116.07 feet, thence southwesterly following a 14° 19' 26" curve to the right to Station 3+45.17 a distance of 229.10 feet, thence southwesterly to Western Avenue at Station 4+50± to the north side of Western Avenue, a distance of 104.83 feet more or less as shown on plan prepared by Maine State Highway Commission, titled "Western Avenue Connector Road". The above described line being the center line of Western Avenue Connector Road, so-called, and the right of way boundary to be 25' northerly of said line and 25' southerly of said line making a 50' right of way, also a slope easement extending 25' on the southely side of said right of way and 20' on the northerly side of said right of way, the purpose of said easement being to allow sufficient room for construction of the project.

Book 26
Page 265
12/8/64

Thence westerly along a curved line twenty (20) feet southerly from and concentric with a 12°00' curve of the base line of Western Avenue Extension one hundred seventeen and ten hundredths (117.10) feet to a point on a line at right angles to the base line of Western Avenue Extension at P.T. Sta. 12+07.30;

Thence N. 89°19'02" W. one hundred ninety-nine and eighty-one hundredths (199.81) feet to a point twenty (20) feet southerly from and as measured along a line at right angles to the base line of Western Avenue Extension at P.C. Sta. 14+06.83;

Thence northwesterly along a curved line twenty (20) feet southwesterly from and concentric with a 28°00' curve of the base line of Western Avenue Extension two hundred sixty-one and three hundredths (261.03) feet to a point on a line at right angles to the base line of Western Avenue Extension at P.T. Sta. 16+44.62;

Western Avenue
and
WESTERN AVE. EX'

Thence N. 22°44'10" W. thirty-two and thirty-eight hundredths (32.38) feet to a point twenty (20) feet southwestwardly from and as measured along a line at right angles to the base line of Western Avenue Extension at Sta. 16+77;

Thence northwesterly by a direct course about forty-one (41) feet to a point in the present southeasterly line of State Highway "26", said at Sta. 364+70;

Vol. 29
12/10/1975

Thence northeasterly along the present southeasterly line of State Highway "26" sixty (60) feet to a point fifty (50) feet southeasterly from and as measured along a line at right angles to the base line of State Highway "26" at Sta. 365+30, said point being at the westerly end of the northerly boundary line of Western Avenue and Western Avenue Extension to be hereinafter described.

NORTHERLY LINE OF WESTERN AVENUE AND WESTERN AVENUE EXTENSION:

Beginning on the base line of Western Avenue at about Sta. 0+21;
Thence easterly along the Western Avenue Base Line about four (4) feet to about Sta. 0+17;

Thence northerly along a line at right angles to the Western Avenue Base Line about nineteen (19) feet to a point at the intersection of the present northerly line of Western Avenue and the present westerly line of High Street;

Thence northerly along the present westerly line of High Street about ten (10) feet to a point;

Thence southwestwardly and westerly by a ten (10) foot radius curve to the right about thirteen (13) feet to a point twenty (20) feet northerly from and as measured along a line at right angles to the base line of Western Avenue at about Sta. 0+25;

Thence N. 83°09'02" W. about seven hundred fifty-four (754) feet to a point twenty (20) feet northerly from and as measured along a line at right angles to the base line of Western Avenue at P.C. Sta. 7+78.59;

Thence northwesterly along a curved line twenty (20) feet northwesterly from and concentric with a 10°00' curve of the Western Avenue Base Line eighty-two and three hundredths (82.03) feet to a point on a line at right angles to the Western Avenue Base Line at P.T. Sta. 8+63.59;

Thence N. 74°39'02" W. about forty-four (44) feet to a point in the present easterly line of Elsinore Street, said point being twenty (20) feet northeasterly from and as measured along a line at right angles to the base line of Western Avenue at about Sta. 9+08;

Thence northerly along the easterly line of Elsinore Avenue about fourteen (14) feet to a point;

Thence westerly along a line at right angles to the easterly line of Elsinore Avenue thirty-three (33) feet to a point in the westerly line of Elsinore Avenue, said point being on a line at right angles to the Elsinore Avenue Base Line at Sta. 0+32;

Thence southwestwardly by a direct course about ten (10) feet to a point twenty (20) feet northeasterly from and as measured along a line at right angles to the base line of Western Avenue at Sta. 9+44;

Thence N. 74°39'02" W. one hundred forty-one and eight hundredths (141.08) feet to a point twenty (20) feet northeasterly from and as measured along a line at right angles to the base line of Western Avenue Extension at P.C. Sta. 10+85.08;

YORK STREET

The North line begins at a stone M. on the West side of Washington Street, and runs N. 66° W. 10 R. $5\frac{1}{2}$ L. to the East of Turners Court to a stone M. --Then (Angle $10^{\circ} 37'$) N. $76\frac{1}{2}^{\circ}$ W. 4 R. $15\frac{1}{2}$ L. to a hole in ledge--then (Angle $7^{\circ} 40'$) N. $84\frac{1}{2}^{\circ}$ W. 11 R. 8 L. to the Stone M. at the west side of Dummer Street. --Then (Angle $3^{\circ} 26'$) N. $87\frac{1}{2}^{\circ}$ W. 24 R. 4 L. to a stone M. at the side of Middle Street.

The South side begins on the West line of Washington Street 35 feet from the North line, and continues parallel to the North line running N. 66° W. 5 R. $15\frac{1}{4}$ L.. Then (Angle $2^{\circ} 45'$) N. $68\frac{1}{2}^{\circ}$ W 4 R. 13 L.--Then (Angle $10^{\circ} 25'$) N. 79° W. 4 R. 8 L. to a point 40 feet southerly from the hole in ledge above mentioned.

Then a line parallel to and 40 feet from the north line to the Westerly end at Middle Street.

Book A
Page 514

YORK STREET EXTENSION

Commencing at the North West corner of York Street, running Westerly to High Street same direction as the North line of York St. as now laid out. --Said line to be north line of said Street--Said Street to be forty feet wide.

Vol. 5
May 1, 1872

ZADOC LINCOLN LANE - Discontinued 6-20-01

Begins at a stone M. on the East side of Washington Street,
opposite the South side of Marshall Street and running S. $86^{\circ} 20'$ E.
(at an angle with the South line of Marshall Street, produced of 3°
 $42'$) to Kennebec River.

Said Lane to be one rod wide on the North side of the above line.

Book A.
Page 520

Accepted
12-1-1852